ZooKeys 1273: 85–146 (2026)
DOI: 10.3897/zookeys.1273.178263

Checklist

A faunistic revision of Fulgoromorpha and Cicadomorpha (Insecta, Hemiptera) of Lithuania

Oleg Borodin[1], Andrius Petrašiūnas[2], Emilija Sriubaite[2], Vytautas Tamutis[3], Villu Soon[4]

1 *Institute of Ecology and Earth Science, University of Tartu, Tartu, Estonia*
2 *Institute of Biosciences, Vilnius University Life Sciences Center, Vilnius, Lithuania*
3 *Kaunas Tadas Ivanauskas Museum of Zoology, Kaunas, Lithuania*
4 *Natural History Museum, University of Tartu, Tartu, Estonia*

Corresponding author: Oleg Borodin (oleg.borodin@ut.ee)

Abstract

The article presents an updated checklist and a catalogue of Fulgoromorpha and Cicadomorpha of Lithuania based on analysis of published records, material preserved in available institutional and private collections of Latvia, Lithuania, and Estonia, and material collected between 2017 and 2025 from various regions of Lithuania. A total of 360 species belonging to 147 genera of Fulgoromorpha and Cicadomorpha are confirmed for the Lithuanian fauna; 20 species are reported in this article for the first time from Lithuania, four of which are newly recorded in the Baltic States.

Key words: Auchenorrhyncha, catalogue, checklist, Lithuania, true hoppers

OPEN ACCESS

Academic editor: Ilia Gjonov
Received: 17 November 2025
Accepted: 3 February 2026
Published: 17 March 2026

ZooBank: https://zoobank.org/50DD8939-3E43-47D4-93CC-EB962F60C978

Citation: Borodin O, Petrašiūnas A, Sriubaite E, Tamutis V, Soon V (2026) A faunistic revision of Fulgoromorpha and Cicadomorpha (Insecta, Hemiptera) of Lithuania. ZooKeys 1273: 85–146. https://doi.org/10.3897/zookeys.1273.178263

Copyright: © Oleg Borodin et al.
This is an open access article distributed under terms of the Creative Commons Attribution License (Attribution 4.0 International – CC BY 4.0).

Introduction

Auchenorrhyncha comprises a large group of Hemiptera and is divided into two suborders: Fulgoromorpha and Cicadomorpha. According to the global catalogue of Auchenorrhyncha by Dmitriev et al. (2022), the world fauna comprises more than 46,600 species, divided into 35 families. The taxon has an almost worldwide distribution, occurring on all continents except Antarctica. The vast majority of Auchenorrhyncha are phytophagous, except for representatives of the family Achilidae, which are known to be mycophagous. Among Auchenorrhyncha, many species are pests of agricultural and ornamental plants, and many are highly specialised vectors of plant pathogens.

Despite a long history of studying Auchenorrhyncha, knowledge is unevenly distributed across different regions of the planet. There are major regional reviews of Auchenorrhyncha that enable us to draw conclusions about faunal changes over historical time, for example, by recording new species that were reliably absent before, or conversely by documenting the disappearance of particular species from specific areas. Examples of such regions include Central Europe (Holzinger et al. 2003) and Northern Europe (Söderman et al. 2009; Endrestøl 2013), individual countries of southern (Guglielmino et al. 2015) and eastern Europe (Borodin 2015a, 2015b; Tishechkin 2022), North America (Santos et al. 2024), Southeast Asia (Jiang et al. 2024), Australia, and Oceania

(Evangelista de Souza et al. 2024). However, in all cases, gaps in the knowledge of particular local areas or taxonomic groups exist, and the authors themselves often highlight these. A similar situation is observed in Lithuania. The history of studying Auchenorrhyncha in the country spans more than 200 years, although with several exceptions, it would be hard to call it thorough.

Supposedly, the first published reference about Auchenorrhyncha from Lithuania is a work of B.A. Gimmerthal (1846), where *Ledra aurita* (Linnaeus, 1758) "from Kowno" (currently Kaunas; the specimen is deposited in the collection of the Institute of Biology, University of Latvia (**LUBI**)) is mentioned among other species from territories of current Latvia and Estonia. However, information about even older collections from Lithuania, dating back to approximately 1801–1802, is documented in the manuscripts of Karol de Perthées (Gębicki et al. 2017).

A century-long gap in research followed until the Estonian entomologist Juhan Vilbaste carried out extensive collecting of Auchenorrhyncha in the 1960s and compiled a list of 296 species from Lithuania (Vilbaste 1974). Following this work, only sporadic data were published by a few authors. Mensonienė (1979) listed 33 species from *Rosa* and *Aronia* plantations, four of which were new to Lithuania. After light-trapping in the Čepkeliai Nature Reserve, 13 new species were added by Söderman and Dapkus (2009), and 18 new species were discovered by sweep netting in the southeastern part of the country (Söderman and Rintala 2009), combining to the total of 331 species, listed for Lithuania in an annotated catalogue of the Auchenorrhyncha of Northern Europe (Söderman et al. 2009).

Some targeted research has also been conducted on Auchenorrhyncha as vectors of plant diseases (Staniulis and Genytė 1974; Genytė and Staniulis 1975, 1976; Ivanauskas et al. 2011, 2014a; Valiūnas et al. 2017), invasive species (Stalažs 2013), or protected species (Švitra 2007). Several recent works have added information on the distribution of species already known from Lithuania (Ivanauskas et al. 2014b; Petrašiūnas 2023), with two more species added to the list of those known from this country (Petrašiūnas 2021).

The primary objective of this work is to compile all available information on Lithuanian Auchenorrhyncha, including all known publications and collection data.

Materials and methods

Literature review

The most recent major regional synthesis on the Auchenorrhyncha of Lithuania is the catalogue of the Auchenorrhyncha of Northern Europe (Söderman et al. 2009), supplemented by several subsequent articles (e.g. Ivanauskas et al. 2011, 2014a, 2014b; Petrašiūnas 2021). The data from Lithuania included in this catalogue, as well as in the catalogue of European Auchenorrhyncha (Nast 1987), were derived primarily from the first regional review of the Auchenorrhyncha of Lithuania and Latvia prepared by the Estonian entomologist Juhan Vilbaste (1974). This work, in fact, remains the only synthesis explicitly devoted to the Lithuanian Auchenorrhyncha and was used in the present study as the primary source for assessing the state of knowledge of particular regions of Lithuania.

This article considers all synonyms that have been used in the literature reporting the occurrence of Auchenorrhyncha in Lithuania. This information is included

in the annotated list provided below. In addition, relevant data from open biodiversity databases and platforms were used (primarily iNaturalist (2025)). Data from these platforms were used only for species recorded for the first time in Lithuania.

New collection records

The data on Auchenorrhyncha were obtained during the implementation of various projects from 2017 to 2022, 2024, and 2025, where a broad range of methods was employed – not only sweeping with an entomological net, but also using Moericke, Malaise, NZI, and Barber pitfall traps. Material from light trapping on 21 August 2015 at Karmazinai, provided by E. Õnap, was also examined. All collected material was placed either on cotton layers or in alcohol, labelled appropriately and is deposited in the Natural History Museum, University of Tartu (**TUZ**) or Museum of Zoology, Vilnius University (**MZVU**) collections. Between 2023 and 2025, additional fieldwork was conducted in Lithuania. Supplementary sampling was conducted at more than 50 localities, and more than 2,000 Auchenorrhyncha specimens were collected. In total, 500 samples were processed, containing more than 14,000 Auchenorrhyncha specimens. In addition, materials deposited in the following collections were investigated:

MZVU Museum of Zoology, Vilnius University, Vilnius, Lithuania;
KTIZM Kaunas T. Ivanauskas Zoological Museum, Kaunas, Lithuania;
NRC State Scientific Research Institute Nature Research Centre, Vilnius, Lithuania;
LUBI Institute of Biology, University of Latvia, Riga, Latvia;
TUZ Natural History Museum, University of Tartu, Tartu, Estonia;
IZBE Entomological Collection of the Estonian University of Life Sciences, Tartu, Estonia.

In the Entomological Collection (LDM) of the Latvian National Museum of Natural History (Riga, Latvia) and the Collection of Invertebrates (DUBD) of Daugavpils University (Daugavpils, Latvia), no Auchenorrhyncha specimens from Lithuania were found.

The IZBE collection includes the material of J. Vilbaste, which formerly belonged to the Institute of Zoology and Botany of the Estonian Academy of Sciences. This collection served as the basis for the review of the Auchenorrhyncha of Lithuania and Latvia (Vilbaste 1974). However, J. Vilbaste's article presented only summarised data, indicating geobotanical regions in which particular species were recorded. Detailed locality information was provided only for species known from fewer than 5–6 sites. In this regard, we included in the current article only those localities from this collection that were not explicitly mentioned in J. Vilbaste's paper. In total, more than 3,170 Auchenorrhyncha specimens from Lithuania, housed in this collection, were analysed.

Below is a list of all localities used in this study. The localities are grouped by municipality. For each locality, the code of the municipality to which the locality belongs and a serial number are provided. In each municipality, the numbers are in ascending order. Localities from which only specimens from the J. Vilbaste collection are known are marked (V). Localities for which both specimens from the J. Vilbaste collection and additional data are available are marked (V+).

Akmenė District Municipality: Akm01 – Kamanų preserve, 56.2503°N, 22.7302°E.

Alytus City Municipality: AlytC01 – Alytus (1), 54.3815°N, 24.0174°E (V); AlytC02 – Alytus (2), 54.4183°N, 24.0708°E (V); AlytC03 – Alytus (3), 54.4208°N, 24.0489°E (V).

Alytus District Municipality: AlytD01 – Ąžuoliniai env. (1), 54.4337°N, 23.5838°E; AlytD02 – Ąžuoliniai env. (2), 54.4395°N, 23.5887°E; AlytD03 – Bundoriai, 54.5057°N, 24.0315°E (V); AlytD04 – Daugai env., 54.3601°N, 24.3452°E (V); AlytD05 – Punia env., 54.5101°N, 24.1063°E (V); AlytD06 – Punia forest, 54.5244°N, 24.0425°E; AlytD07 – Punios šilas, 54.5409°N, 24.0873°E; AlytD08 – Simnas env., 54.3836°N, 23.6469°E (V); AlytD09 – Žuvintas env., 54.4571°N, 23.6399°E (V+).

Anykščiai District Municipality: Anyk01 – Andrioniškis env., 55.5974°N, 25.0441°E (V); Anyk02 – Antanava env., 55.3970°N, 25.1232°E (V+); Anyk03 – Burbiškis env., 55.4976°N, 25.2215°E; Anyk04 – Inkūnai env., 55.6497°N, 25.1781°E; Anyk05 – Skaistis lake env., 55.6847°N, 25.2086°E; Anyk06 – Skvarbinis lake env., 55.6842°N, 25.2450°E; Anyk07 – Traupis env., 55.5124°N, 24.7566°E.

Birštonas Municipality: B01 – Birštonas, 54.6046°N, 24.0304°E (V).

Biržai District Municipality: Bir01 – Biržai env., 56.2020°N, 24.7560°E (V); Bir02 – Kilučių lake shore, 56.1835°N, 24.7650°E; Bir03 – Ločiai env., 56.3776°N, 24.8586°E; Bir04 – Paroveja, 56.2452°N, 24.8604°E (V).

Druskininkai Municipality: Drus01 – Druskininkai env., 54.0049°N, 23.9864°E (V+); Drus02 – Margai env., 54.1497°N, 23.9356°E; Drus03 – Miškas Beržalapis, 53.9667°N, 23.9704°E; Drus04 – Miškas Paravė, 54.0489°N, 24.1190°E; Drus05 – Raigardas forest, 53.9676°N, 24.0357°E (V); Drus06 – Ratnyčia env, 54.0014°N, 24.0189°E.

Elektrėnai Municipality: El01 – Bražuolė campsite, 54.7558°N, 24.9571°E; El02 – Paneriai env., 54.7833°N, 24.9087°E (V); El03 – Panerių 1 Miškas forest, 54.7767°N, 24.9361°E; El04 – Zabarija env., 54.8047°N, 24.8630°E.

Ignalina District Municipality: Ign01 – Ažvinčių preserve, 55.4340°N, 26.0474°E; Ign02 – Beniūnai env., 55.5202°N, 26.4963°E; Ign03 – Ceikiniai Quarry, 55.2590°N, 26.2763°E; Ign04 – Dringis env., 55.3737°N, 26.1117°E (V); Ign05 – Ignalina env. (1), 55.3284°N, 26.1537°E; Ign06 – Ignalina env. (2), 55.3385°N, 26.1645°E (V); Ign07 – Kazimieriškė env., 55.2874°N, 26.0225°E; Ign08 – Kazokinė env., 55.2853°N, 26.1847°E; Ign09 – Nagėnai env., 55.5024°N, 26.4619°E; Ign10 – Palūšė env., 55.3281°N, 26.1014°E (V).

Jonava District Municipality: Jona01 – Jonava env., 55.0727°N, 24.2795°E (V+).

Jurbarkas District Municipality: Jurb01 – Jurbarkas env., 55.0768°N, 22.7617°E; Jurb02 – Seredžius env., 55.0814°N, 23.4186°E (V); Jurb03 – Smukučiai env., 55.0847°N, 22.6822°E; Jurb04 – Viešvilė env. (1), 55.0556°N, 22.3879°E; Jurb05

– Viešvilė env. (2), 55.0610°N, 22.3878°E; Jurb06 – Viešvilė env. (3), 55.0954°N, 22.4088°E; Jurb07 – Viešvilė preserve, Smaladaržis env., 55.1163°N, 22.4406°E.

Kaišiadorys District Municipality: Kaiš01 – Girelė env., 54.8610°N, 24.3850°E; Kaiš02 – Kaišiadorys city, 54.8652°N, 24.4543°E; Kaiš03 – Rumšiškės env., 54.8684°N, 24.2117°E; Kaiš04 – Strošiūnų forest, 54.8334°N, 24.4856°E; Kaiš05 – Vadų Miškas forest, 54.9559°N, 24.3377°E; Kaiš06 – Vaiguvos env., 54.7869°N, 24.2120°E; Kaiš07 – Žiežmariai env., 54.8052°N, 24.4390°E (V).

Kalvarija Municipality: Kal01 – Juodeliai env., 54.3942°N, 23.1313°E; Kal02 – Kalvarija env., 54.4144°N, 23.2270°E (V+); Kal03 – Piliakalniai env., 54.3966°N, 23.0917°E (V).

Kaunas City Municipality: KauC01 – Dainava env., 54.9133°N, 23.9683°E; KauC02 – Kaunas Botanical garden, 54.8686°N, 23.9072°E; KauC03 – Panemunė Jiesios (1), 54.8503°N, 23.9378°E; KauC04 – Panemunė Jiesios (2), 54.8514°N, 23.9404°E; KauC05 – Panemunė Jiesios (3), 54.8515°N, 23.9400°E; KauC06 – Panemunė Jiesios (4), 54.8531°N, 23.9383°E; KauC07 – Panemunė Jiesios (5), 54.8547°N, 23.9376°E; KauC08 – Panemunė Jiesios (6), 54.8570°N, 23.9404°E; KauC09 – Petrašiūnai env., 54.8797°N, 24.0076°E.

Kaunas District Municipality: KauD01 – Babtai env., 55.0874°N, 23.8009°E (V); KauD02 – Braziūkai env. (1), 54.9014°N, 23.4847°E; KauD03 – Braziūkai env. (2), 54.9021°N, 23.4841°E; KauD04 – Braziūkai env. (3), 54.9081°N, 23.4820°E; KauD05 – Dubravos forest, 54.8506°N, 24.0635°E; KauD06 – Garliava env. (1), 54.8273°N, 23.8760°E; KauD07 – Garliava env. (2), 54.8100°N, 23.9038°E; KauD08 – Girionys env., 54.8544°N, 24.0387°E; KauD09 – Kačerginė env., 54.9341°N, 23.7123°E; KauD10 – Kamšos forest, 54.9004°N, 23.7925°E; KauD11 – Karalgirio forest, 55.1189°N, 23.6565°E; KauD12 – Karmėlava env., 54.9656°N, 24.0716°E; KauD13 – Kazliškiai env., 54.8823°N, 23.8554°E; KauD14 – Muniškiai env., 55.0728°N, 23.8258°E; KauD15 – Netoniai env., 54.9399°N, 23.7253°E; KauD16 – Noreikiškės env., 54.8885°N, 23.8548°E; KauD17 – Pakarklė forest, 55.0142°N, 23.6001°E; KauD18 – Ringaudai env., 54.8910°N, 23.7951°E; KauD19 – Ringovė entomological reserve, 55.0503°N, 23.5184°E; KauD20 – Senieji Bernatoniai (1), 54.9860°N, 23.7689°E; KauD21 – Senieji Bernatoniai (2), 54.9884°N, 23.7753°E; KauD22 – Senieji Bernatoniai (3), 54.9898°N, 23.7744°E; KauD23 – Šlienava env., 54.8656°N, 24.0916°E; KauD24 – Viršužiglis env., 54.8275°N, 24.1866°E.

Kazlų Rūda Municipality: K.R.01 – Ąžuolų Būda env., 54.7015°N, 23.5213°E (V); K.R.02 – Braziūkų forest, 54.8942°N, 23.4720°E; K.R.03 – Jūrė env., 54.7595°N, 23.5894°E; K.R.04 – Kajackai env., 54.8045°N, 23.5877°E.

Kėdainiai District Municipality: Kėd01 – Kėdainiai env., 55.2882°N, 23.9716°E (V+); Kėd02 – Vincentava env., 55.1916°N, 23.6632°E.

Kelmė District Municipality: Kel01 – Beržėnai env., 55.8256°N, 22.8287°E; Kel02 – Galvydiškė env., 55.7822°N, 22.9742°E; Kel03 – Gudmoniškė env., Alkaline fen (1), 55.8710°N, 22.9392°E; Kel04 –Alkaline fen (2), 55.8710°N, 22.9425°E; Kel05 –Alkaline fen (3), 55.8713°N, 22.9427°E.

Klaipėda City Municipality: KlaiC01 – Klaipėda env., 55.7033°N, 21.1443°E (V); KlaiC02 – Melnragė I, 55.7328°N, 21.0872°E; KlaiC03 – Melnragė II, 55.7539°N, 21.0833°E.

Klaipėda District Municipality: KlaiD01 – Čiobrelių rojus, 55.6194°N, 21.4105°E; KlaiD02 – Dercekliai env., 55.5645°N, 21.2490°E; KlaiD03 – Dovilai env., 55.6836°N, 21.3661°E (V); KlaiD04 – Gargždai env., 55.7117°N, 21.3952°E; KlaiD05 – Pajūrio RP Šaipiai, 55.8576°N, 21.0870°E; KlaiD06 – Šaipiai env., 55.8444°N, 21.0652°E; KlaiD07 – Tyrai Klišiai env., 55.5320°N, 21.2264°E.

Kretinga District Municipality: Kre01 – Darbėnai env., 56.0267°N, 21.2336°E; Kre02 – Kartena env., 55.9171°N, 21.4752°E.

Kupiškis District Municipality: Kup01 – Bugailiškiai env. (1), 55.7538°N, 25.2426°E; Kup02 – Bugailiškiai env. (2), 55.7540°N, 25.2493°E; Kup03 – Juodpėnai env., 55.8032°N, 25.2187°E; Kup04 – Puponys env., 55.8019°N, 25.1178°E; Kup05 – Šileikiai env., 55.8053°N, 25.2232°E.

Lazdijai District Municipality: Laz01 – Avižieniai env., 54.1836°N, 23.7291°E; Laz02 – Meteliai env., 54.3003°N, 23.7405°E (V); Laz03 – Miškas Bijotai forest (1), 54.2778°N, 23.7564°E; Laz04 – Miškas Bijotai forest (2), 54.2851°N, 23.7461°E; Laz05 – Seirijai env., 54.2349°N, 23.8166°E (V); Laz06 – Veisiejai env., 54.1023°N, 23.6945°E (V).

Marijampolė Municipality: Mar01 – Marijampolė env., 54.5590°N, 23.3488°E (V+).

Mažeikiai District Municipality: Maž01 – Pušinė env., 56.1114°N, 22.1459°E; Maž02 – Varduva env., 56.3168°N, 22.2925°E (V).

Molėtai District Municipality: Mol01 – Aluntas env., 55.3503°N, 25.2930°E (V); Mol02 – Giraičiai env., 55.0486°N, 25.5077°E (V); Mol03 – Molėtai env., 55.2286°N, 25.4146°E (V); Mol04 – Skinderiškė env., 55.2395°N, 25.6262°E; Mol05 – Žagarai env., 55.2455°N, 25.6322°E.

Neringa Municipality: Ner01 – Curonian Split, 55.3301°N, 21.0175°E (V); Ner02 – Juodkrantė env. (1), 55.5238°N, 21.1031°E; Ner03 – Juodkrantė env. (2), 55.5339°N, 21.1002°E; Ner04 – Juodkrantė env. (3), 55.5390°N, 21.1147°E (V); Ner05 – Juodkrantė env. (4), 55.5460°N, 21.1207°E; Ner06 – Juodkrantė env. (5), 55.5551°N, 21.1216°E; Ner07 – Nida env., 55.4369°N, 21.0724°E (V); Ner08 – Pervalka env. (1), 55.4026°N, 21.0916°E; Ner09 – Pervalka env. (2), 55.4028°N, 21.0852°E.

Pagėgiai Municipality: Pag01 – Pagėgiai env., 55.1490°N, 21.8823°E

Palanga City Municipality: PalC01 – Palanga, 55.9202°N, 21.0678°E

Palanga Municipality: PalM01 – Būtingės Miškas forest, 56.0717°N, 21.1211°E; PalM02 – Monciškė env., 56.0004°N, 21.0728°E; PalM03 – Šventoji env., 56.0274°N, 21.0809°E; PalM04 – Šventoji River, 55.0853°N, 24.3999°E.

Panevėžys City Municipality: PanC01 – Panevėžys env., 55.7353°N, 24.3617°E (V+)

Panevėžys District Municipality: PanD01 – Aukštadvaris env., 55.4788°N, 24.2986°E (V); PanD02 – Gegužinė env., 55.8491°N, 24.3437°E (V); PanD03 – Giniūnai env., 55.7670°N, 24.0464°E (V); PanD04 – Piniava env., 55.7799°N, 24.3618°E (V); PanD05 – Ramygala env., 55.5088°N, 24.3033°E (V).

Pasvalys District Municipality: Pas01 – Talačkoniai env., 56.0269°N, 24.3629°E (V).

Plungė District Municipality: Plu01 – Miškas Plokštinė (1), 56.0119°N, 21.8678°E; Plu02 – Miškas Plokštinė (2), 56.0264°N, 21.9049°E; Plu03 – Plateliai env., 56.0430°N, 21.8164°E (V); Plu04 – Stalgėnai env., 55.8231°N, 21.8870°E (V).

Prienai District Municipality: Prie01 – Balbieriško forest, 54.5157°N, 23.8272°E; Prie02 – Karmėlava forest, 54.6304°N, 24.1122°E; Prie03 – Norkūnai env. (1), 54.5007°N, 23.9460°E; Prie04 – Norkūnai env. (2), 54.5010°N, 23.9415°E; Prie05 – Norkūnai env. (3), 54.5013°N, 23.9420°E; Prie06 – Prienų šilas forest (1), 54.6000°N, 23.9250°E; Prie07 – Prienų šilas forest (2), 54.5982°N, 23.9240°E.

Radviliškis District Municipality: Rad01 – Burūnai env., 55.5266°N, 23.5592°E; Rad02 – Debeikiai env. (1), 55.6089°N, 23.3460°E; Rad03 – Debeikiai env. (2), 55.6075°N, 23.3435°E; Rad04 – Papušinis env., 55.5585°N, 23.3854°E (V); Rad05 – Radviliškis env., 55.8108°N, 23.5762°E; Rad06 – Verduliai env., 55.7708°N, 23.6287°E.

Raseiniai District Municipality: Ras01 – Ariogala env., 55.2604°N, 23.4728°E (V); Ras02 – Kaulakiai env., 55.4299°N, 23.2560°E (V+); Ras03 – Plikiai env., 55.2065°N, 23.5305°E; Ras04 – Saudininkai env., 55.2563°N, 23.4796°E (V); Ras05 – Žaiginys env., 55.4927°N, 23.3372°E (V).

Rietavas Municipality: Rie01 – Tverai env., 55.7331°N, 22.1460°E (V)

Rokiškis District Municipality: Rok01 – Andrikava env., 55.8997°N, 25.8188°E; Rok02 – Bargailių forest, 55.5482°N, 23.4908°E; Rok03 – Bradesiai env., 55.8274°N, 25.8953°E; Rok04 – Kačergiškis env., 55.9101°N, 25.8304°E; Rok05 – Mičiūnai env., 55.8819°N, 25.8362°E; Rok06 – Pasarčiai env., 55.8524°N, 25.8707°E; Rok07 – Praviršulio tyrelis reserve, 55.5219°N, 23.4528°E; Rok08 – Rokiškis env., 55.9629°N, 25.5683°E; Rok09 – Rudžionys env., 55.9141°N, 25.8114°E.

Šakiai District Municipality: Šak01 – Juškinės forest (1), 55.0199°N, 23.4441°E; Šak02 – Juškinės forest (2), 55.0139°N, 23.4623°E; Šak03 – Lekėčiai env., 54.9823°N, 23.4940°E; Šak04 – Pavilkijys env., 55.0352°N, 23.5612°E; Šak05 – Tervydoniai env. (01), 55.0276°N, 23.4428°E; Šak06 – Tervydoniai env. (02), 55.0279°N, 23.4441°E; Šak07 – Tervydoniai env. (03), 55.0168°N, 23.4491°E; Šak08 – Tervydoniai env. (04), 55.0270°N, 23.4469°E; Šak09 – Tervydoniai env. (05), 55.5540°N, 22.4481°E; Šak10 – Tervydoniai env. (06), 55.0289°N, 23.4447°E; Šak11 – Tervydoniai env. (07), 55.0280°N, 23.4492°E; Šak12 – Tervydoniai

env. (08), 55.0274°N, 23.4479°E; Šak13 – Tervydoniai env. (09), 55.0273°N, 23.4487°E; Šak14 – Tervydoniai env. (10), 55.0272°N, 23.4433°E; Šak15 – Tervydoniai env. (11), 55.0276°N, 23.4450°E; Šak16 – Tervydoniai env. (12), 55.0274°N, 23.4486°E; Šak17 – Vidušilio Miškas forest, 55.0117°N, 23.3931°E.

Šalčininkai District Municipality: Šal01 – Stakai env., 54.2977°N, 25.5346°E; Šal02 – Zajašiškės env., 54.1865°N, 25.5654°E.

Šiauliai District Municipality: Šiau01 – Agailių forest, 56.1172°N, 22.9668°E; Šiau02 – Bubiai env., 55.8734°N, 23.1423°E; Šiau03 – Bulėnų pelkė bog (1), 55.8721°N, 23.0461°E; Šiau04 – Bulėnų pelkė bog (2), 55.8727°N, 23.0459°E; Šiau05 – Dzidai env., 55.8371°N, 23.1707°E; Šiau06 – Slydžiai env., 55.8326°N, 23.1580°E; Šiau07 – Visdergiai, Alkaline fen, 55.9174°N, 22.9028°E.

Šilalė District Municipality: Šila01 – Kaltinėnai env., 55.5640°N, 22.4485°E (V).

Šilutė District Municipality: Šilu01 – Degučiai env., 55.3201°N, 21.7615°E (V); Šilu02 – Inkakliai env., 55.4821°N, 21.5789°E (V); Šilu03 – Medžioklės pelkė bog, 55.2560°N, 21.4557°E; Šilu04 – Rupkalviai env. (1), 55.3168°N, 21.4076°E; Šilu05 – Rupkalviai env. (2), 55.3189°N, 21.4212°E; Šilu06 – Rupkalvių upland bog (1), 55.2957°N, 21.4488°E; Šilu07 – Rupkalvių upland bog (2), 55.2959°N, 21.4513°E; Šilu08 – Rupkalvių upland bog (3), 55.2962°N, 21.4497°E; Šilu09 – Rusnė env., 55.2990°N, 21.3774°E (V); Šilu10 – Šilmeižiai env., Šyša env. (1), 55.3127°N, 21.4050°E; Šilu11 – Šilmeižiai env., Šyša env. (2), 55.3147°N, 21.4048°E; Šilu12 – Šilmeižiai env., Šyša env. (3), 55.3197°N, 21.4063°E; Šilu13 – Ventė Cape, 55.3411°N, 21.1899°E; Šilu14 – Žalgiriai env., 55.2953°N, 21.4528°E.

Širvintos District Municipality: Širv01 – Dūdai env., 55.0958°N, 24.7568°E; Širv02 – Pajuodžiai env., 54.8845°N, 24.9591°E.

Švenčionys District Municipality: Šven01 – Aibutiškis lake, 55.2478°N, 25.8099°E; Šven02 – Antaliedė env., 55.2225°N, 25.9239°E; Šven03 – Asveja env., 54.9946°N, 25.6137°E (V); Šven04 – Augustavas env., 55.0025°N, 26.0019°E; Šven05 – Baranava Miškas forest, 55.1834°N, 25.9615°E; Šven06 – Bedugnis lake, 55.2509°N, 25.8141°E; Šven07 – Beržuvis env., 55.1710°N, 26.1903°E; Šven08 – Didžioji Bala, 55.2337°N, 25.7472°E; Šven09 – Jusiai env. (1), 55.2003°N, 25.9542°E; Šven10 – Jusiai env. (2), 55.1980°N, 25.9643°E; Šven11 – Kaltanėnai env. (1), 55.2486°N, 26.0078°E; Šven12 – Kaltanėnai env. (2), 55.2487°N, 26.0099°E; Šven13 – Kaltanėnai env. (3), 55.2488°N, 26.0045°E; Šven14 – Labanoras regional park (1), 55.2672°N, 25.7740°E (V); Šven15 – Labanoras regional park (2), 55.2226°N, 25.7408°E; Šven16 – Labanoras regional park (3), 55.2319°N, 25.7519°E; Šven17 – Labanoras regional park (4), 55.2347°N, 25.6843°E; Šven18 – Labanoras regional park (5), 55.2348°N, 25.6832°E; Šven19 – Labanoras regional park (6), 55.2358°N, 25.6843°E; Šven20 – Labanoras regional park (7), 55.2663°N, 25.7936°E; Šven21 – Liūlinė env., 55.1036°N, 25.9553°E; Šven22 – Malinovka env., 55.0525°N, 26.0225°E; Šven23 – Noselėnai env., 54.9062°N, 25.6921°E; Šven24 – Pabradė env., 54.9830°N, 25.7649°E (V); Šven25 – Paibutiškis env. (1), 55.2468°N, 25.8026°E; Šven26 – Paibutiškis env. (2), 55.2468°N, 25.8047°E; Šven27 – Paibutiškis env. (3), 55.2472°N, 25.8104°E; Šven28 – Paminėlė env.

(1), 55.2466°N, 25.7532°E; Šven29 – Paminėlė env. (2), 55.2471°N, 25.7502°E; Šven30 – Paminėlė env. (3), 55.2474°N, 25.7479°E; Šven31 – Pašekštis env., 55.2422°N, 25.8119°E; Šven32 – Platumai env., 55.1714°N, 25.9800°E; Šven33 – Šipiniškis env., 55.2639°N, 25.7531°E.

Tauragė District Municipality: Tau01 – Buveinių lake env., 55.1823°N, 22.4387°E; Tau02 – Draudeniai env., 55.3088°N, 21.9933°E (V); Tau03 – Tauragė env., 55.2546°N, 22.2892°E (V); Tau04 – Viešvilė preserve (1), 55.1448°N, 22.4150°E; Tau05 – Viešvilė preserve (2), 55.1794°N, 22.4629°E.

Telšiai District Municipality: Telš01 – Didžiųjų Burbiškių mound, 55.7636°N, 22.5011°E; Telš02 – Lukšto env., 55.7146°N, 22.3339°E (V); Telš03 – Telšiai env., 55.9839°N, 22.2503°E (V); Telš04 – Užmarkija env., 56.1115°N, 22.1789°E; Telš05 – Varniai env., 55.7423°N, 22.3717°E.

Trakai District Municipality: Trak01 – Akmena env., 54.6517°N, 24.9022°E; Trak02 – Bražuolė env., 54.6692°N, 24.9003°E; Trak03 – Būda env., 54.7096°N, 24.9518°E (V); Trak04 – Dėdeliškės env., 54.6683°N, 25.0192°E; Trak05 – Jovariškės env., 54.6508°N, 24.8683°E; Trak06 – Kariotiškės env., 54.6525°N, 25.0667°E; Trak07 – Kirtimai env., 54.6333°N, 24.5511°E; Trak08 – Lake Skaistis env. I, 54.6833°N, 24.9525°E; Trak09 – Narezkai env., 54.6258°N, 24.9796°E; Trak10 – Pagelužys env., 54.4399°N, 24.7914°E; Trak11 – Pakrempė env. (1), 54.4925°N, 25.1130°E; Trak12 – Pakrempė env. (2), 54.4828°N, 25.1153°E; Trak13 – Pakrempė env. (3), 54.5093°N, 25.1231°E; Trak14 – Pakrempė env. (4), 54.5172°N, 25.1562°E; Trak15 – Paluknis env., 54.5009°N, 24.9848°E (V); Trak16 – Ropėjos Miškas forest, 54.5333°N, 25.0167°E; Trak17 – Strėva env. (1), 54.4999°N, 25.1374°E (V+); Trak18 – Strėva env. (2), 54.5854°N, 24.7050°E (V+); Trak19 – Trakų Vokė, 54.6025°N, 25.0350°E.

Utena District Municipality: Ute01 – Aišetos env., 55.3086°N, 25.7371°E (V); Ute02 – Minčios env., 55.4871°N, 25.9793°E; Ute03 – Paluknis env., 55.4254°N, 25.3912°E; Ute04 – Utena env., 55.5035°N, 25.5988°E; Ute05 – Vyžuonos env., 55.5730°N, 25.4881°E; Ute06 – Vyžuonų Miškas forest (1), 55.5894°N, 25.5283°E; Ute07 – Vyžuonų Miškas forest (2), 55.5933°N, 25.5469°E.

Varėna District Municipality: Var01 – Čepkelių raistas marsh, 54.0110°N, 24.4929°E; Var02 – Dubininkas env., 54.0968°N, 24.2850°E; Var03 – Forest Luciškė, 54.0823°N, 24.3824°E; Var04 – Grybaulia env. (1), 53.9900°N, 24.3628°E; Var05 – Grybaulia env. (2), 54.0030°N, 24.3818°E; Var06 – Gudakiemis env., 54.4353°N, 24.9842°E; Var07 – Gudaraistis env., 54.2336°N, 24.1747°E; Var08 – Ilgininkai env., 54.2563°N, 24.1620°E (V); Var09 – Jablanavo Miškas forest, 54.1374°N, 24.2118°E; Var10 – Jonionys env., 54.1520°N, 24.1342°E; Var11 – Krokšlio Miškas forest, 54.0472°N, 24.6413°E; Var12 – Lynelis env., 54.3535°N, 24.4451°E (V); Var13 – Marcinkonys env., Barsukinės forest, 54.0368°N, 24.4040°E; Var14 – Mardasavas env. (1), 54.1385°N, 24.3193°E; Var15 – Mardasavas env. (2), 54.1509°N, 24.3183°E; Var16 – Matuizos env., 54.2744°N, 24.6918°E; Var17 – Merkinė env., 54.1644°N, 24.1854°E (V); Var18 – Miškas Diniškės forest, 54.0886°N, 24.1966°E; Var19 – Musteika env., 53.9575°N, 24.3706°E; Var20 – Musteika, Aukštakalnio forest, 53.9384°N, 24.3916°E; Var21 – Naujieji Valkininkai (1), 54.3486°N, 24.7412°E; Var22 – Naujieji Valkininkai (2), 54.3524°N, 24.7243°E; Var23 – Pagarenda env.,

53.9363°N, 24.4811°E; Var24 – Palkabalio Miškas forest, 54.1499°N, 24.5999°E; Var25 – Pamerkio Miškas forest, 54.2730°N, 24.5851°E; Var26 – Pirčiupiai env., 54.3991°N, 24.9549°E; Var27 – Pučkornių Miškas forest, 54.3489°N, 24.7453°E; Var28 – Puvočiai env. (1), 54.1140°N, 24.3050°E; Var29 – Puvočiai env. (2), 54.1193°N, 24.2973°E; Var30 – Puvočiai env. (3), 54.1129°N, 24.2989°E; Var31 – Puvočiai env. (4), 54.1138°N, 24.3126°E; Var32 – Puvočiai env. (5), 54.1144°N, 24.3084°E; Var33 – Skersabalės Miškas forest, 54.0917°N, 24.3769°E; Var34 – Subartonių forest, 54.1921°N, 24.1841°E; Var35 – Užuožerės forest, 54.0190°N, 24.4127°E; Var36 – Valkininkai env., 54.3602°N, 24.8377°E (V); Var37 – Varėna env., 54.2124°N, 24.5722°E (V); Var38 – Varėnos 2 Miškas forest, 54.1779°N, 24.5980°E; Var39 – Vėžionių Miškas forest, 54.3621°N, 24.4240°E; Var40 – Žeimiai env., 54.0817°N, 24.1079°E; Var41 – Žiūrai env., 54.1437°N, 24.4004°E.

Vilkaviškis District Municipality: Vilk01 – Alvitas env., 54.6353°N, 22.9238°E (V); Vilk02 – Virbalgiris forest, 54.6073°N, 22.7933°E.

Vilnius City Municipality: VilnC01 – Baniškės env., 54.7511°N, 25.4258°E; VilnC02 – Dravčionys env., 54.7283°N, 25.3742°E; VilnC03 – Guraičiai env., 54.7194°N, 25.3385°E; VilnC04 – Pagubė env., 54.8032°N, 25.3187°E; VilnC05 – Strapa env., 54.8683°N, 25.5593°E; VilnC06 – Verkiai env. (1), 54.7564°N, 25.3039°E; VilnC07 – Verkiai env. (2), 54.7519°N, 25.2955°E (V); VilnC08 – Vilnius (1), 54.6825°N, 25.3081°E; VilnC09 – Vilnius (2), 54.6872°N, 25.2797°E; VilnC10 – Vilnius (3), 54.7025°N, 25.2661°E; VilnC11 – Vilnius (4), 54.7406°N, 25.2714°E; VilnC12 – Vilnius (5), 54.7414°N, 25.2361°E; VilnC13 – Žirmūnai env., 54.7113°N, 25.2987°E.

Vilnius District Municipality: VilnD01 – Airėnai II env. (1), 54.8281°N, 24.9027°E; VilnD02 – Airėnai II env. (2), 54.8439°N, 24.9068°E; VilnD03 – Dvarčionys env., 54.8253°N, 25.4422°E; VilnD04 – Karmazinai env., 54.8150°N, 24.9440°E; VilnD05 – Pagiriai env., 54.5850°N, 25.1923°E (V); VilnD06 – Mažieji Gulbinai, 54.8228°N, 25.4397°E; VilnD07 – Nemenčinė env., 54.8480°N, 25.4678°E (V); VilnD08 – Raudonoji Bala, 54.8541°N, 25.2315°E; VilnD09 – Rudausiai env., 54.9087°N, 25.5922°E; VilnD10 – Rusausiai env., 54.9090°N, 25.5931°E; VilnD11 – Stirniai env., 54.7346°N, 25.0474°E (V).

Zarasai District Municipality: Zar01 – Antazavė env., 55.8111°N, 25.9232°E (V+); Zar02 – Pakačinės env., 55.8205°N, 25.8653°E; Zar03 – Salakas env., 55.5802°N, 26.1334°E (V); Zar04 – Zarasai env., 55.7318°N, 26.2457°E (V).

Identification

Species-level identification was carried out only for adult specimens. Nymphs were also collected, but their species identity was not determined. When necessary, specimens were mounted on entomological pins. If preparations were required, primarily for genitalia investigations, dissections were performed. For this purpose, the abdomen from dry specimens was detached, placed in a ceramic crucible containing a 10% solution of KOH or NaOH, and heated over the flame of an alcohol burner for 20–30 seconds. Afterwards, the dissection was carried out in a drop of glycerine. Various models of stereoscopic microscopes were used for the work, predominantly Leica A60, Leica S9E and Leica S8APO. Subsequent-

ly, prepared material was mounted into a droplet of Euparal or Solakryl BMX (40% solution of synthetic resin in xylene) and pinned beneath the corresponding specimen. In total, more than 3,800 specimens were mounted, predominantly males.

Species identification was carried out using relevant identification keys (Le Quesne 1960, 1969; Ossiannilsson 1978, 1981, 1983; Le Quesne and Payne 1981; Anufriev and Emeljanov 1988; Holzinger et al. 2003). In some instances, specific literature on individual taxa was also used. The nomenclature and names of taxa used in this study follow those in the World Auchenorrhyncha Database (Dmitriev et al. 2022). All accumulated information, including both published and primary data, was entered into a database on the PlutoF platform (Abarenkov et al. 2010).

Results

More than 18,900 Auchenorrhyncha specimens were examined. In total, we identified 360 species belonging to 147 genera. A checklist of all species currently recorded in Lithuania is provided below. The list includes all species recorded in Lithuania. For each species, a list of publications in which the species was reported from Lithuania is provided. Where distributional data are given in a publication, this information is also included and accompanied by the corresponding reference. The list also includes previously unpublished data from the collection of J. Vilbaste. Records from iNaturalist are accompanied by the corresponding observation number, which is also provided in parentheses after the respective record. Species newly recorded in Lithuania are marked with an asterisk (*), and those newly recorded in the Baltic States – with a double asterisk (**). Detailed information is provided on these records, along with additional comments.

Fulgoromorpha Evans, 1946
Delphacoidea Leach, 1815
Cixiidae Spinola, 1839
Cixiinae Spinola, 1839
Cixiini Spinola, 1839

***Cixius* Latreille, 1804**

***Cixius cunicularia* (Linnaeus, 1767)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD01; AlytD05; AlytD07; Ign09; KauC06; Plu04; Šak07; Ute01; Var34; VilnD11.

***Cixius distinguendus* Kirschbaum, 1868**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šak07; Šak12; Šak15; Šak16; Šven01; Tau04; Var20; Var28; Zar03.

***Cixius nervosus* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). AlytD02; Bir01; Bir04; Kaiš06; KauC02; KauD05; KauD12; Mar01; Pas01; Rad01; Šak01; Šak05; Šak07; Šak16; Šiau01; Šilu02; Var28; VilnC01; VilnD07.

***Cixius similis* Kirschbaum, 1868**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Trivellone (2010). AlytD08; AlytD09; El01; Ign09; Šven15; Šven23; VilnD08.

***Tachycixius* Wagner, 1939**

***Tachycixius pilosus* (Olivier, 1792)**: Nast (1987); Demir (2008); Söderman et al. (2009). Šilu02 (Vilbaste 1974). Bir01; Šven03.

Pentastirini Emeljanov, 1971

***Pentastiridius* Kirschbaum, 1868**

***Pentastiridius leporinus* (Linnaeus, 1761)** (= *Oliarus leporinus* (L., 1761)): Nast (1987); Söderman et al. (2009). VilnC09 (Vilbaste 1974). AlytD02; Ign09; KlaiD07; Šiau02; Trak13.

Delphacidae Leach, 1815
Asiracinae Motschulsky, 1863
Asiracini Motschulsky, 1863

***Asiraca* Latreille, 1797**

***Asiraca clavicornis* (Fabricius, 1794)** – Šal02: 1♀, 08 Jun. 2019, V. Tamutis leg.; Trak10: 1♂, 14 Aug. 2021, R. Markevičiūtė leg.; Var28: 1♀ (MZVUHe04111), 08 Aug. 2023, U. Paliukėnas leg.; VilnD09: 1♀, 15 Sept. 2024, A. Petrašiūnas leg.

iNaturalist records: Anyk07, 20 Aug. 2025 (iN272136560); Drus06, 27 May 2023 (iN163958009); El04, 04 Jul. 2022 (iN120658906); Ign05, 04 Jul. 2023 (iN166188981); KauD03, 01 May 2024 (iN212846796); KauD06, 29 Apr. 2023 (iN157492948); KauD23, 26 Aug. 2025 (iN273922326); Laz01, 27 Aug. 2025 (iN309657954); Prie03, 19 Jul. 2022 (iN122456379); Prie04, 05 Aug. 2023 (iN176744151); Prie05, 20 May 2023 (iN162729370); VilnC02, 01 Apr. 2025 (iN270993685); VilnC03, 02 May 2023 (iN159119259); VilnC04, 09 Sept. 2021 (iN94204293); VilnC08, 20 May 2023 (iN162821471); VilnC11, 24 Sept. 2020 (iN60605183); VilnC12, 19 Apr. 2024 (iN219271956); VilnD01, 30 Oct. 2023 (iN189588438); VilnD02, 10 Oct. 2021 (iN99483442); VilnD09, 15 Sept. 2024 (iN242514212); VilnD10, 17 May 2025 (iN282021475).

Remarks. The occurrence of the species in the Baltic States has long been considered doubtful. This was first noted by J. Vilbaste (1974), who referred to the works of B.A. Gimmerthal (1846) and his collection, which, as far as J. Vilbaste knew, had not been preserved (Vilbaste 1974). Subsequently, the questionable status of the species' record in the Baltic States was emphasised in the Catalogue of the Auchenorrhyncha of Europe (Nast 1987) and in the Catalogue of the Auchenorrhyncha of Northern Europe (Söderman et al. 2009). At the same time, in the latter work, the authors stress that this species is difficult to confuse with any other Auchenorrhyncha in the region and suggest that B.A. Gimmerthal could hardly have made an identification error. In addition, this information was reported by Velce and Danka (1970) and was not questioned by Logvinenko (1975). The species has previously been recorded in Belarus (Borodin 2004).

In 2009, the species was found in the vicinity of Heggenes in Telemark, Norway (Ødegaard 2011). The specimens were collected between May 11 and June

2. It was erroneously reported from Lithuania by Anufriev and Egorov (2016); the paper cites works by Latvian specialists that record the species in Latvia.

The species is easily identifiable in the field, allowing additional information on its distribution to be obtained from iNaturalist data. The records available on gbif.org are also derived from iNaturalist. Thus, it can be stated that *A. clavicornis* is recorded for the first time with certainty in Lithuania. All records were made in the central, southern, and eastern parts of the country. Observations took place from April 19 to October 10.

Stenocraninae Wagner, 1963

***Stenocranus* Fieber, 1866**

***Stenocranus minutus* (Fabricius, 1787)**: Söderman et al. (2009); Valiūnas et al. (2017). Trak06; Trak08; Trak16 (Söderman and Rintala 2009); VilnD03; VilnD06 (Ivanauskas et al. 2014b). KauD04; KauD07; KauD17; Šal02; VilnC05.

***Stenocranus fuscovittatus* (Stål, 1858)** – AlytD01: 1♀, 23 Jun. 2022, sweep netting, A. Petrašiūnas leg.; AlytD02: 1♂ (MZVUHe00922), 24.08-04 Sept. 2018, Malaise trap, A. Petrašiūnas leg.; 1♂ (MZVUHe01349), 1♀, 24 Jun. 2020, sweep netting, A. Petrašiūnas leg.; KlaiD02: 4♀ (MZVUHe01283, MZVUHe01322, MZVUHe01323, MZVUHe01324), 25 Jun. 2020, sweep netting, A. Petrašiūnas leg.; K.R.02: 1♀, 30 May 2019, V. Tamutis leg.; Kel05: 1♂ (MZVUHe02327), Transition mire, 05 Aug. 2024, E. Sriubaitė leg.; 3♂ (MZVUHe02324, MZVUHe02325, MZVUHe02326), 3♀ (MZVUHe02321, MZVUHe02322, MZVUHe02329), 19 Aug. 2024, E. Sriubaitė leg.

Remarks. First registration for Lithuania. The species is very widely distributed in the Palearctic region (Dmitriev et al. 2022). Occurrence in Lithuania had been considered quite likely (Vilbaste 1974).

***Stenocranus major* (Kirschbaum, 1868)** – Kel03: 1♂ (MZVUHe02334), Alkaline fen, 19 Aug. 2024, E. Sriubaitė leg.; Kel05: 1♂ (MZVUHe02339), 1♀ (MZVUHe02323), Transition mire, 19 Aug. 2024, E. Sriubaitė leg.

Remarks. First registration for Lithuania. The species is very widely distributed in the western part of the Palearctic region (Dmitriev et al. 2022). According to published data, it has been recorded on *Phalaris arundinacea* and *Calamagrostis epigejos*; feeding on the second species requires confirmation (Holzinger et al. 2003; Nickel 2003).

Kelisiinae Wagner, 1963

***Kelisia* Fieber, 1866**

***Kelisia confusa* Linnavuori, 1957** (= *Kelisia nervosa* Vilbaste, 1972): Vilbaste (1960, 1972); Nickel (2003); Söderman et al. (2009); Malenovský and Lauterer (2010). Kal03; Mol02; PanD05; Šven03 (Vilbaste 1974). Kal02.

***Kelisia guttula* (Germar, 1818)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Della Giustina (2019a); Karavin et al. (2023). Kel03; Kel05; Šiau06.

***Kelisia guttulifera* (Kirschbaum, 1868)**: Nast (1987); Nickel (2003); Söderman et al. (2009); Trivellone et al. (2015); Della Giustina (2019a). PanD01 (Vilbaste 1974).

***Kelisia monoceros* Ribaut, 1934**: Söderman et al. (2009).

***Kelisia pallidula* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Della Giustina (2019a). PanC01 (Mensonienė 1979). AlytD02; AlytD05; Kel03; Kel05; KlaiD02; KlaiD07; Šiau06; Šven01.

***Kelisia praecox* Haupt, 1935**: Nast (1987); Söderman et al. (2009); Trivellone et al. (2015); Della Giustina (2019a). Kal03 (Vilbaste 1974). Kal02.

***Kelisia ribauti* Wagner, 1938**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Della Giustina (2019a). Ign10.

***Kelisia sabulicola* Wagner, 1952**: Vilbaste (1974); Söderman et al. (2009); Karavin et al. (2023).

****Kelisia sima* Ribaut, 1934** – Kel03: 1♀ (MZVUHe02222), Alkaline fen, 05 Aug. 2024, E. Sriubaitė leg.; 1♂ (MZVUHe02350), 19 Aug. 2024, E. Sriubaitė leg.; Kel05: 1♂ (MZVUHe02344), Transition mire, 05 Jul. 2024, E. Sriubaitė leg.; 2♂ (MZVUHe02205, MZVUHe02208), 19 Jul. 2024, E. Sriubaitė leg.; Šiau04: 1♀ (MZVUHe02215), Transition mire, 06 Aug. 2024, E. Sriubaitė leg.; Šiau06: 1♂ (MZVUHe02224), 3♀ (MZVUHe02209, MZVUHe02221, MZVUHe02214), 19 Jul. 2024, E. Sriubaitė leg.; 6♀ (MZVUHe02201, MZVUHe02218, MZVUHe02229, MZVUHe02232, MZVUHe02236, MZVUHe02238), 06 Aug. 2024, E. Sriubaitė leg.; 3♂ (MZVUHe02207, MZVUHe02217, MZVUHe02341), 19 Aug. 2024, E. Sriubaitė leg.

Remarks. The species is reported for the first time from the Baltic States. Morphologically, it is very similar to *Kelisia guttula* (Germar, 1818), and several publications have repeatedly emphasised the need to re-examine old collection material of this species from other parts of its range (Nickel 2003; Seljak 2016). Currently it has been recorded in Austria (Nast 1972, 1987; Holzinger et al. 2003; Nickel 2003; Malenovský and Lauterer 2010; Mühlethaler et al. 2018; Della Giustina 2019a), Czech Republic (Malenovský and Lauterer 2010), France (Nast 1972, 1987; Holzinger et al. 2003; Nickel 2003; Malenovský and Lauterer 2010), Germany (Nast 1972, 1987; Nickel and Remane 2002; Holzinger et al. 2003; Nickel 2003; Malenovský and Lauterer 2010; Mühlethaler et al. 2018; Della Giustina 2019a), Italy (Holzinger et al. 2003; Nickel 2003; Malenovský and Lauterer 2010; Della Giustina 2019a), Slovenia (Seljak 2016); Sweden (Holzinger et al. 2003; Nickel 2003; Söderman et al. 2009; Malenovský and Lauterer 2010; Della Giustina 2019a) and Switzerland (Mühlethaler et al. 2018; Della Giustina 2019a). *K. sima* has been reported to be a monophagous species on *Carex flava* (Nickel 2003; Della Giustina 2019a).

***Kelisia vittipennis* (Sahlberg, 1868)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Kel05; Šiau02.

Delphacinae Leach, 1815
Delphacini Leach, 1815

***Acanthodelphax* Le Quesne, 1964**

***Acanthodelphax denticauda* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Della Giustina (2019a). AlytD09; Kal02.

***Acanthodelphax spinosus* (Fieber, 1866)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Della Giustina (2019a). AlytD01; AlytD09; B01; Drus01; Jona01; Jurb02; Mar01; Šilu01; Šven03; Tau02; Vilk01; VilnD07.

***Chloriona* Fieber, 1866**

***Chloriona dorsata* Edwards, 1898**: Nast (1987); Söderman et al. (2009); Della Giustina (2019a). Ner04 (Vilbaste 1974).

***Chloriona glaucescens* Fieber, 1866 –** AlytD02: 1♂ (MZVUHe01609), 24 Jul. 2020, sweep netting, A. Petrašiūnas leg.; 1♂ (MZVUHe01852), 23 Jun. 2022, sweep netting, A. Petrašiūnas leg.

Remarks. The species has been widely recorded in many countries in Northern Europe, including Latvia, Estonia, and the Scandinavian countries (Söderman et al. 2009). It is also known from Poland (Gębicki et al. 2013) and Belarus (Borodin 2004). Like other species of the genus *Chloriona* Fieber, 1866, it is monophagous on *Phragmites australis*. In Central Europe, it prefers saline habitats and is less frequently found in freshwater sites (Holzinger et al. 2003; Nickel 2003).

***Chloriona smaragdula* (Stål, 1853)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD01; AlytD02; Anyk02; Ign02; Ign09; Šven28.

****Chloriona unicolor* (Herrich-Schäffer, 1835) –** Šiau07: 5♂ (MZVUHe02332, MZVUHe02333, MZVUHe02335, MZVUHe02336, MZVUHe02340), 05 Jul. 2024, E. Sriubaitė leg.

Remarks. A rare species. Like other members of the genus, *C. unicolor* is monophagous on *Phragmites australis*. It is distributed mainly in the southern part of the Palaearctic region (Della Giustina 2019a). Among the countries sharing a land border with Lithuania, it is known to occur only in southern and central Poland (Walczak et al. 2016). Records are also known from Finland (Asche 1982; Ding 2006; Kuznetsova et al. 2024) and Norway (Ding 2006). This is the first record from the Baltic States.

***Conomelus* Fieber, 1866**

***Conomelus anceps* (Germar, 1821)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Kel03; Kel05; KlaiD07; Šven01; Telš03; Var36; VilnD07.

***Criomorphus* Curtis, 1831**

***Criomorphus albomarginatus* Curtis, 1833**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD09; Drus01; Šak01.

***Criomorphus moestus* (Boheman, 1847) –** AlytD01: 1♂ (MZVUHe01818), 24 Jun. 2020, sweep netting, A. Petrašiūnas leg.

Remarks. It is known from neighbouring countries, including Latvia (Borodin and Borodina 2021) and Belarus (Logvinenko 1984; Nast 1987; Borodin 2015a), and has also been recorded in Finland and Sweden (Söderman et al. 2009). Its host plant is reported to be *Calamagrostis canescens* (Holzinger et al. 2003; Nickel 2003).

Delphacinus Fieber, 1866

***Delphacinus mesomela* (Boheman, 1850)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Anyk01.

Delphax Fabricius, 1798

***Delphax crassicornis* (Panzer, 1796)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD04; Kaiš06; Kup05; Šiau06; Šilu14; Trak17; Var28.

***Delphax pulchellus* (Curtis, 1833)**: Nast (1987); Söderman et al. (2009). AlytD09 (Vilbaste 1974). AlytD01; AlytD02; Ign02; KlaiD07; Šilu10.

Dicranotropis Fieber, 1866

***Dicranotropis hamata* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). Šilu01; Šilu02.

Euconomelus Haupt, 1929

***Euconomelus lepidus* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD05; Anyk02; KlaiD07; Laz06; Telš03; Var36.

Euides Fieber, 1866

***Euides speciosa* (Boheman, 1845)** (= *Euides basilinea* (Germar, 1821)) **–** AlytD02: 1♂ (MZVUHe01874), 23 Jun. 2022, sweep netting, A. Petrašiūnas leg.; Jona01: 1♂ (MZVUHe01271), 15–26 Jun. 2022, Malaise trap, A. Petrašiūnas leg.

Remarks. The host plant is *Phragmites australis* (Holzinger et al. 2003; Nickel 2003; Della Giustina 2019a; Gjonov 2022). A European species, it is the only representative of the genus *Euides* Fieber, 1866 occurring in Northern Europe (Della Giustina 2019a). In particular, it has been reported as *E. basilinea* from Latvia (Borodin and Borodina 2021), Poland (Gębicki et al. 2013), and Belarus (Borodin 2004).

Eurybregma Scott, 1875

***Eurybregma nigrolineata* Scott, 1875** – Šal02: 1♂, 08 Jun. 2019, V. Tamutis leg.

Remarks. In Northern Europe, the species had previously been reported only from Sweden (Söderman et al. 2009). In 2021, it was found in eastern Latvia (Borodin 2023). Both brachypterous and macropterous forms were recorded. It is a Euro-Siberian species (Gębicki et al. 2013), whose range expansion

in Europe towards the northwest has been noted since the mid-20th century. However, the species has been known from England since the 19th century (including brachypterous forms) (Nickel 2003). This likely explains why J. Vilbaste did not record the species during mid-20th-century intensive studies on leafhoppers in Estonia, Latvia, and Lithuania. In addition to the currently known Latvian records, findings from western Estonia were made between 2016 and 2018. These specimens are stored in the collection of the Natural History Museum of the University of Tartu (TUZ).

Eurysa Fieber, 1866

***Eurysula lurida* (Fieber, 1866)**: Nast (1987); Söderman et al. (2009); Gjonov (2022). Drus01; Maž02; Šven14 (Vilbaste 1974). Kal02.

Gravesteiniella Wagner, 1963

***Gravesteiniella boldi* (Scott, 1870)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ramsay (2016). AlytD05.

Hyledelphax Vilbaste, 1968

***Hyledelphax elegantula* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

Javesella Fennah, 1963

***Javesella discolor* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

***Javesella dubia* (Kirschbaum, 1868)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD02; AlytD05; Drus01; KlaiD07; Telš02.

***Javesella forcipate* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). K.R.01; Ras02; Telš02.

***Javesella obscurella* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). B01; Drus01; KlaiD07; Laz06.

***Javesella pellucida* (Fabricius, 1794)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009). PanC01 (Mensonienė 1979); KauD14; VilnD06 (Ivanauskas et al. 2014b). AlytD01; AlytD02; Anyk05; Anyk06; B01; Ign02; Ign09; Jurb06; Kel03; Kel05; KlaiD07; Kup03; Kup05; Ner02; Ner05; Pag01; PanD04; Rok06; Šiau02; Šiau06; Šilu04; Šilu10; Šilu12; Šven01; Šven06; Var28.

***Javesella salina* (Haupt, 1924)**: Nast (1987); Demir (2008); Söderman et al. (2009); Della Giustina (2019b). AlytD06 (Vilbaste 1974). AlytD05.

***Javesella tapina* (Fieber, 1866)** (= *J. stali* (Metcalf, 1943)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). B01; Drus01; Laz06; Mar01.

Kosswigianella Wagner, 1963

***Kosswigianella exigua* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). B01; Trak18; Var36; Var37.

Laodelphax Fennah, 1963

***Laodelphax striatellus* (Fallén, 1826)**: Nast (1987); Demir (2008); Söderman et al. (2009). Var37 (Vilbaste 1974); PanC01 (Mensonienė 1979). AlytD01; AlytD02; Ign02; Kel03; Kel05; Kup03; Šilu10; Šilu11; Šilu12.

Megadelphax Wagner, 1963

***Megadelphax sordidula* (Stål, 1853) –** Pag01: 1♂ (MZVUHe01638), 12 Aug. 2022, yellow pan traps, J. Skuja leg.; 2♂ (MZVUHe00683, MZVUHe00685), 04 Sept. 2022, yellow pan traps, G. Skujienė leg.

Remarks. A widespread species occurring throughout most of Europe and in North Africa. The eastern limit of its range extends to Mongolia (Vilbaste 1971; Nast 1972, 1987; Logvinenko 1975). In Northern Europe, it is known from Sweden, Finland, Estonia, Latvia, and Karelia (Söderman et al. 2009). It has also been recorded in Belarus (Borodin 2004) and Poland (Gębicki et al. 2013). Its host plant is reported to be *Arrhenatherum elatius* (Nickel 2003; Gębicki et al. 2013).

Megamelus Fieber, 1866

***Megamelus notula* (Germar, 1830)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Ign09; Šilu05; Šilu10; Šilu12; Šven01; Šven16.

Muellerianella Wagner, 1963

***Muellerianella brevipennis* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). K.R.01; Mar01; Šilu12; Šven03.

***Muellerianella extrusa* (Scott, 1871)**: Nast (1987). Šiau05; Šven01.

***Muellerianella fairmairii* (Perris, 1857)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

Muirodelphax Wagner, 1963

***Muirodelphax aubei* (Perris, 1857)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009). Ign06; Var36; VilnD07.

Nothodelphax Fennah, 1963

***Nothodelphax distinctus* (Flor, 1861)** (= *Tyrphodelphax distinctus* (Flor, 1861)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD09; Šven12.

Oncodelphax Wagner, 1963

***Oncodelphax pullulan* (Boheman, 1852)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Gjonov (2022). Anyk01.

Paradelphacodes Wagner, 1963

***Paradelphacodes paludosa* (Flor, 1861)**: Nast (1987); Söderman et al. (2009). Šila01 (Vilbaste 1974). AlytD02; Šiau06.

Paraliburnia Jensen-Haarup, 1917

***Paraliburnia adela* (Flor, 1861)**: Nast (1987); Söderman et al. (2009); Trivellone (2010); Mitjaev (2015). PanD04 (Vilbaste 1974). Šilu05.

****Paraliburnia clypealis* (Sahlberg, 1871) –** AlytD02: 1♂ (MZVUHe00048), 14–23 Jun. 2022, Malaise trap, A. Petrašiūnas leg.

Remarks. Known from the Czech Republic (Nast 1972, 1987; Nickel 2003), England (Nast 1972, 1987; Mitjaev 2015; Foster 2019), Finland (Nast 1972, 1987; Söderman et al. 2009; Albrecht et al. 2015; Mitjaev 2015; Della Giustina 2019b), France (Della Giustina 2019b), Germany (Nast 1972, 1987; Nickel and Remane 2002; Nickel 2003; Mitjaev 2015; Mühlethaler et al. 2018; Della Giustina 2019b), Ireland (Wilson et al. 2015; Della Giustina 2019b), Kazakhstan (Mitjaev 2002, 2015), Luxembourg (Den Bieman et al. 2011; Della Giustina 2019b), the Netherlands (Nast 1987; Nickel 2003; Den Bieman et al. 2011; Della Giustina 2019b), Poland (Gębicki et al. 2013), the European part of Russia (north – Nast 1972, 1987; Mitjaev 2015; centre – Anufriev and Smirnova 2009), and Sweden (Nast 1972, 1987; Söderman et al. 2009; Mitjaev 2015). This is the first record from the Baltic States.

Ribautodelphax Wagner, 1963

***Ribautodelphax albostriata* (Fieber, 1866)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD09; Drus01; Ign04; Vilk01.

***Ribautodelphax collina* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). B01.

***Ribautodelphax pallens* (Stål, 1854)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD09; Šilu02.

Stiroma Fieber, 1866

***Stiroma affinis* Fieber, 1866**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD08; PanC01; Rok03.

***Stiroma bicarinatum* (Herrich-Schäffer, 1835)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven29.

***Struebingianella* Wagner, 1963**

***Struebingianella lugubrina* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Anyk01; K.R.01; K.R.02; PanD05.

***Struebingianella paryphasma* (Flor, 1861)** (= *Florodelphax paryphasma* (Flor, 1861)): Nast (1987); Preisler and Lauterer (2003); Söderman et al. (2009); Gjonov (2022). B01; Zar04 (Vilbaste 1974). AlytD02.

***Unkanodes* Fennah, 1956**

***Unkanodes excisa* (Melichar, 1898)**: Nast (1987); Söderman et al. (2009). Drus01; PalC01 (Vilbaste 1974). Drus05.

***Xanthodelphax* Wagner, 1963**

***Xanthodelphax flaveola* (Flor, 1861)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

***Xanthodelphax straminea* (Stål, 1858)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KauD14 (Ivanauskas et al. 2014b). KlaiD07; Šilu02.

Achilidae Stål, 1866
Achilinae Stål, 1866

***Cixidia* Fieber, 1866**

***Cixidia confinis* (Zetterstedt, 1837)**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009). Tau01.

Caliscelidae Amyot & Audinet-Serville, 1843
Ommatidiotinae Fieber, 1875

***Ommatidiotus* Spinola, 1839**

***Ommatidiotus dissimilis* (Fallén, 1806)**: Vilbaste (1974); Söderman et al. (2009). Kel03; Kel05; KlaiD02; Ner04; Šilu07; Šilu08; Šven01; Šven06; Šven12; Šven18; Šven25; Šven27; Šven29.

Tettigometridae Germar, 1821
Tettigometrinae Germar, 1821

***Tettigometra* Latreille, 1804**

***Tettigometra atra* Hagenbach, 1825** (= *T. atrata* Fieber, 1872): Nast (1987); Söderman et al. (2009). VilnD07 (Vilbaste 1974). KauC06.

Cicadomorpha Evans, 1946
Cicadidae Batsch, 1789
Cicadettinae Buckton, 1890
Cicadettini Buckton, 1890

***Cicadetta* Kolenati, 1857**

***Cicadetta montana* (Scopoli, 1772) s.str.**: KauC04; KauD15; KauD21 (Švitra 2007). KauC03; KauC05; KauC08; KauD20; KauD22.

Cercopoidea Leach, 1815
Aphrophoridae Amyot & Audinet-Serville, 1843
Aphrophorinae Amyot & Audinet-Serville, 1843
Aphrophorini Amyot & Audinet-Serville, 1843

***Aphrophora* Germar, 1821**

***Aphrophora alni* (Fallén, 1805)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ivanauskas et al. (2014a). PanC01 (Mensonienė 1979); KauD14; VilnD03; VilnD06 (Ivanauskas et al. 2014b). AlytD01; AlytD09; Drus01; Ign02; Ign09; Jurb01; K.R.03; Kaiš01; Kaiš02; KauD15; Kel03; Kel05; Ner07; PanD03; Prie01; Rok02; Rok04; Rok07; Rok08; Šak13; Šiau02; Šiau06; Šilu04; Šilu06; Šilu10; Šilu11; Šilu14; Širv01; Šven01; Šven15; Šven19; Šven27; Trak12; Ute04; Var01; Var28.

*****Aphrophora corticea* Germar, 1821** – Šak01: 1♂, 06 Jul. 2013, leg R. Ferenca (stored in KTIZM).

iNaturalist record: KlaiD01, 06 Sept. 2020 (iN65898025).

Remarks. It occurs in Western and Central Europe, in southern Scandinavia, and has been recorded in the Balkans, the Altai Mountains, Anatolia, and Siberia (Holzinger et al. 2003). In particular, it is known from Norway and Sweden (Söderman et al. 2009), Poland (Gębicki et al. 2013), and Belarus (Borodin 2015a). This is the first record from the Baltic States.

***Aphrophora major* Uhler, 1896**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009). AlytD01; AlytD02; Ign02.

***Aphrophora salicina* (Goeze, 1778)** (= *A. costalis* Matsumura, 1903, *A. pectoralis* Matsumura, 1903): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Ign09; Jurb04; KauC07; Kel05; KlaiD02; KlaiD05; Mol04; Ner07; PanD01; Rok04; Šiau06.

***Peuceptyelus* Sahlberg, 1871**

***Peuceptyelus coriaceus* (Fallén, 1826)**: Nast (1987); Holzinger et al. (2003); Söderman et al. (2009). PanC01 (Mensonienė 1979); B01 (Vilbaste 1974). Ign01; Ute02.

Cloviini Schmidt, 1920

***Lepyronia* Amyot & Audinet-Serville, 1843**

***Lepyronia coleoptrata* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ivanauskas et al. (2014a). KauD14 (Ivanauskas et al. 2014b). Akm01; AlytD01; AlytD02; Ign02; Ign03; Ign09; Jurb04; Jurb05; KauD15; Kel03; Kel05; KlaiD02; KlaiD07; Ras03; Rok07; Šak04; Šiau02; Šiau06; Šilu03; Šilu04; Šilu05; Šilu10; Šilu11; Šilu12; Šven30; Tau05; Ute02; Ute04; Var23.

Philaenini Metcalf, 1955

***Neophilaenus* Haupt, 1935**

***Neophilaenus campestris* (Fallén, 1805)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Demir (2008); Söderman et al. (2009). AlytD05; Var37.

***Neophilaenus exclamationis* (Thunberg, 1784)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Anyk01.

***Neophilaenus lineatus* (Linnaeus, 1758)** (= *N. pallidus* (Haupt, 1917)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD01; AlytD02; AlytD09; Ign02; Ign09; Jurb01; Kel03; Kel04; KlaiD02; KlaiD07; Ner01; Ner04; Ner05; Rok02; Rok07; Šiau02; Šiau06; Šilu04; Šilu05; Šilu06; Šilu12; Šilu13; Šilu14; Šven01; Šven06; Šven11; Šven12; Šven15; Šven16; Šven25; Šven27; Var01.

***Neophilaenus minor* (Kirschbaum, 1868)**: Vilbaste (1974); Nast (1987); Nickel (2003); Demir (2008); Söderman et al. (2009). Anyk01; Laz06; Šven24; Var17; Var37.

***Philaenus* Stål, 1864**

***Philaenus spumarius* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Ivanauskas et al. (2014a). PanC01 (Mensonienė 1979); KauD14; VilnD03; VilnD06 (Ivanauskas et al. 2014b). AlytD01; AlytD02; AlytD09; Bir01; K.R.03; Kaiš01; Kaiš02; Kaiš03; Kal02; KauC08; KauD04; KlaiD06; KlaiD07; Kup03; Ner02; Ner07; Ner09; PalM02; Rok02; Rok04; Rok05; Rok06; Rok07; Rok08; Šak11; Šiau06; Šilu03; Šilu04; Šilu05; Šilu06; Šilu10; Šilu11; Šilu12; Šilu13; Šilu14; Šven28; Ute04; Var01; Var28; Var41; Vilk02; Zar02.

Membracoidea Rafinesque, 1815
Membracidae Rafinesque, 1815
Centrotinae Amyot & Audinet-Serville, 1843
Centrotini Amyot & Audinet-Serville, 1843

***Centrotus* Fabricius, 1803**

***Centrotus cornutus* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Petrašiūnas (2021). AlytD09; Bir02; K.R.04;

Kaiš04; KauC07; KauC09; KauD04; KauD05; KauD08; KauD09; KauD10; KauD11; KauD15; KauD16; KauD24; Laz06; Šak13; Šal01; Šal02; Šiau05; Šiau07; Šven28.

Gargarini Distant, 1908

***Gargara* Amyot & Audinet-Serville, 1843**

***Gargara genistae* (Fabricius, 1775)**: Var15; Var30 (Petrašiūnas 2021); Var02 (Petrašiūnas 2021, 2023). AlytC02; AlytC03; AlytD03; Anyk04; Drus02; Drus03; Drus04; El03; Kaiš05; Kel01; Kel02; KlaiC02; KlaiC03; KlaiD03; Kre01; Laz03; Laz04; Mažo1; Ner03; PalM01; Plu01; Plu02; Prie06; Prie07; Rad02; Rad03; Šak02; Šak17; Širv02; Šven02; Šven05; Šven09; Šven21; Šven22; Šven31; Šven32; Šven33; Telš01; Telš04; Trak09; Trak11; Ute06; Ute07; Var02; Var03; Var05; Var07; Var09; Var10; Var11; Var14; Var16; Var18; Var19; Var21; Var22; Var24; Var25; Var27; Var30; Var31; Var32; Var33; Var35; Var38; Var39; Var40; VilnC06 (Petrašiūnas 2023). Šven01; Var13; Var16; Var28.

Smiliinae Stål, 1866
Ceresini Goding, 1892

***Stictocephala* Stål, 1869**

***Stictocephala bisonia* Kopp & Yonke, 1977**: Bogoutdinov et al. (2024). Var29 (Petrašiūnas 2021). Var04.

Cicadellidae Latreille, 1825
Ulopinae Le Peletier & Audinet-Serville, 1828

***Ulopa* Fallén, 1814**

***Ulopa reticulata* (Fabricius, 1794)**: Vilbaste (1974); Nast (1987); Szwedo and Gębicki (2001); Söderman et al. (2009). Bir01; KauD02; KauD04; Ner05; Šilu07; Šilu08; Šven08; Šven15; Šven17; Šven20; Šven25; Šven27.

***Utecha* Emeljanov, 1996**

***Utecha trivia* (Germar, 1821)**: Söderman et al. (2009); Söderman and Rintala (2009). Ign08; Kup01; Trak12; Trak13.

Ledrinae Fairmaire, 1855

***Ledra* Fabricius, 1803**

***Ledra aurita* (Linnaeus, 1758)**: KauC01 (Gimmerthal 1846); VilnC13 (Ivanauskas et al. 2014b). KauD19; Prie02; Šak14.

Megophthalminae Kirkaldy, 1906 [1859]
Agalliini Kirkaldy, 1901

***Agallia* Curtis, 1833**

***Agallia brachyptera* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). Jurb05; Mol01; Pag01; Rok06; Šilu10; Šilu11; Šilu12; Šilu14; Trak12; Trak13; Trak14; Trak17; Var37.

***Anaceratagallia* Zakhvatkin, 1946**

***Anaceratagallia ribauti* (Ossiannilsson, 1938)** (= *A. lithuanica* Vilbaste, 1974): Nast (1982, 1987); Söderman et al. (2009); Ivanauskas et al. (2014a); VilnD07 (Vilbaste 1974); KauD14 (Ivanauskas et al. 2014b). AlytD05; Kup02; PanD01; Var37.

***Anaceratagallia venosa* (Fourcroy, 1785)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Jurb02; Laz06; Var37.

Megophthalmini Kirkaldy, 1906 [1859]

***Megophthalmus scanicus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD01; AlytD04; AlytD05; Bir03; KauD18; Kup01; Kup02; Ras01; Šila01; Šilu01; Šilu02; Šilu05; Šilu10; Šilu12; Šven19; Šven29; Telš03; VilnC01.

Eurymelinae Amyot & Audinet-Serville, 1843
Macropsini Evans, 1936

***Hephathus* Ribaut, 1952**

***Hephathus achilleae* Mitjaev, 1967**: Söderman et al. (2009).

***Hephathus nanus* (Herrich-Schäffer, 1835)**: Vilbaste (1974); Nast (1987); Trivellone et al. (2015). Laz06; Trak15; Trak18; Ute03; Var17; Var36.

***Macropsidius* Ribaut, 1952**

***Macropsidius sahlbergii* (Flor, 1861)**: Nast (1987); Söderman et al. (2009). Šven24 (Vilbaste 1974). Laz06.

***Macropsis* Lewis, 1834**

***Macropsis cerea* (Germar, 1837)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Dai et al. (2018). AlytD04; Anyk01; Bir01; Jurb02; PanD05; Šila01; Ute01; VilnD07; VilnD11.

***Macropsis fuscinervis* (Boheman, 1845)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Dai et al. (2018). Ign09; K.R.01; Laz06.

***Macropsis fuscula* (Zetterstedt, 1828)**: Vilbaste (1974); Söderman et al. (2009). Ign02; Jurb02; KauD01; Laz06; PanD01; Šven03; Šven14; Var12; Zar01; Zar04.

***Macropsis glandacea* (Fieber, 1868)**: Söderman et al. (2009).

***Macropsis impura* (Boheman, 1847)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Bir04; PanC01; Ute01; VilnD07.

***Macropsis infuscata* (Sahlberg, 1871)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Bir04; El02; Ign04; Šven24; Telš05.

***Macropsis marginata* (Herrich-Schäffer, 1835)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Bir01; Kėd01; Mar01; PanD01; Rad04; Ras04; Šila01; VilnD07.

***Macropsis mendax* (Fieber, 1868)**: Nast (1987). AlytC01 (Vilbaste 1974).

***Macropsis ocellata* Provancher, 1872** (= *M. albae* Wagner, 1950): Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009). Jurb02; VilnD07.

***Macropsis prasina* (Boheman, 1852)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šilu02; Tau02.

***Macropsis vicina* (Horváth, 1897)**: Söderman et al. (2009). Trak04; Trak07; Var06 (Söderman and Rintala 2009).

***Macropsis viridinervis* Wagner, 1950**: Söderman et al. (2009). Mar01; Var08; VilnD07 (Vilbaste 1974). Šiau02.

***Oncopsis* Burmeister, 1838**

***Oncopsis alni* (Schrank, 1801)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Dai et al. (2018). Ner04.

***Oncopsis appendiculata* Wagner, 1944**: Nast (1987); Söderman et al. (2009). Bir04 (Vilbaste 1974).

***Oncopsis carpini* (Sahlberg, 1871)**: Nast (1987); Söderman et al. (2009). AlytD04; KlaiD04; PanD01 (Vilbaste 1974).

***Oncopsis flavicollis* (Linnaeus, 1761)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Anyk02; Ner07; Ner08; Šak09; Šilu02; Šven25; Šven29.

***Oncopsis subangulata* (Sahlberg, 1871)**: Nast (1987); Söderman et al. (2009). Šilu02 (Vilbaste 1974).

***Oncopsis tristis* (Zetterstedt, 1837)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009).

***Pediopsis* Burmeister, 1838**

****Pediopsis tiliae* (Germar, 1831) –** Kre02: 1♀, 28 Aug. 1996, R. Ferenca leg.

Remarks. Feeds on species of the genus *Tilia* (Nickel 2003). A widespread species (Dmitriev et al. 2022). In Northern Europe, it is known from Scandinavia, Denmark, and Latvia (Söderman et al. 2009). It has also been recorded in Poland (Gębicki et al. 2013) and Belarus (Borodin 2004). Its occurrence in Lithuania was expected; however, the species had not been recorded for more than 30 years, despite its trophic association with host plants widespread in Lithuania and its ease of identification in the field.

Idiocerini Baker, 1915

***Acericerus* Dlabola, 1974**

***Acericerus ribauti* Nickel & Remane, 2002**: Söderman et al. (2009); Trak01 (Söderman and Rintala 2009). KauC01.

***Idiocerus* Lewis, 1834**

***Idiocerus lituratus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD04; AlytD05; AlytD09; Jona01; Kel05; Ner01; Šiau02; Šven03.

***Idiocerus similis* Kirschbaum, 1868**: Nast (1987); Söderman et al. (2009). Jurb02; PanD04; VilnD07 (Vilbaste 1974).

***Idiocerus stigmaticalis* Lewis, 1834**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Jurb02; Jurb04; Telš02; VilnD07.

***Metidiocerus* Ossiannilsson, 1981**

***Metidiocerus elegans* (Flor, 1861)** (= *Idiocerus elegans* Flor, 1861): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Trak03; Ute01.

***Populicerus* Dlabola, 1974**

***Populicerus albicans* (Kirschbaum, 1868)**: Söderman et al. (2009). Trak04; Trak07 (Söderman and Rintala 2009). Tau05.

***Populicerus confusus* (Flor, 1861)** (= *Idiocerus confusus* Flor, 1861): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šilu04; Šven24; Ute01; Ute05.

***Populicerus nitidissimus* (Herrich-Schäffer, 1835)**: Söderman et al. (2009). Trak07 (Söderman and Rintala 2009).

***Populicerus populi* (Linnaeus, 1761)** (= *Idiocerus populi* (Linnaeus, 1761)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). El02; KauD04; PanD01; Šak13; Šven08; Šven10; Var28.

***Rhytidodus* Fieber, 1872**

***Rhytidodus decimaquartus* (Schrank, 1776)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Šven24.

***Stenidiocerus* Ossiannilsson, 1981**

***Stenidiocerus poecilus* (Herrich-Schäffer, 1835)** (= *Idiocerus poecilus* (Herrich-Schäffer, 1835)): Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). PalM04 (Vilbaste 1974); Var01 (Söderman and Dapkus 2009).

***Tremulicerus* Dlabola, 1974**

***Tremulicerus distinguendus* (Kirschbaum, 1868)**: Söderman et al. (2009). Trak01; Var06 (Söderman and Rintala 2009).

***Tremulicerus fulgidus* (Fabricius, 1775)** (= *Idiocerus fulgidus* (Fabricius, 1775)): Nast (1987); Söderman et al. (2009). Šven24 (Vilbaste 1974).

***Tremulicerus tremulae* (Estlund, 1796)** (= *Idiocerus tremulae* (Estlund, 1796)): Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytC01; Jurb02; K.R.01 (Vilbaste 1974). Kaiš06.

***Viridicerus* Dlabola, 1974**

***Viridicerus ustulatus* (Mulsant & Rey, 1855)**: Söderman et al. (2009). Trak02; Trak04; Trak07; Var06 (Söderman and Rintala 2009).

Iassinae Walker, 1869
Batracomorphini Krishnankutty, Dietrich, Dai & Siddappaji, 2016

***Batracomorphus* Lewis, 1834**

***Batracomorphus allionii* (Turton, 1802)**: Nast (1987); Söderman et al. (2009); Hu et al. (2021). Mar01; PanD01; Trak03 (Vilbaste 1974). Kaiš06; Mar01; PanD01; Trak03.

***Batracomorphus irroratus* Lewis, 1834**: Nast (1987); Demir (2008); Söderman et al. (2009); Hu et al. (2021); Abdollahi et al. (2015). Ign06; Laz06; Var36 (Vilbaste 1974).

Iassini Walker, 1869

***Iassus* Fabricius, 1803**

***Iassus lanio* (Linnaeus, 1761)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD04; Bir04; El02; Laz05; PanD05; Šak08; Šven03; Telš02; Vilk01.

Aphrodinae Haupt, 1927 [1859]
Aphrodini Haupt, 1927 [1859]

***Anoscopus* Kirschbaum, 1858**

***Anoscopus albiger* (Germar, 1821)**: PanC01 (Mensonienė 1979).

***Anoscopus flavostriatus* (Donovan, 1799)** (= *Aphrodes flavostriatus* (Donovan, 1799)): Vilbaste (1974); Söderman et al. (2009). PanC01 (Mensonienė 1979). Kup02; Pag01; PanD04; Šilu11; Šilu12; Telš03; Trak12; Trak13; Trak14; Trak17.

***Anoscopus histrionicus* (Fabricius, 1794)** (= *Aphrodes histrionicus* (Fabricius, 1794)): Söderman et al. (2009). AlytC01; Laz06; Šven24 (Vilbaste 1974).

***Anoscopus serratulae* (Fabricius, 1775)** (= *Aphrodes serratulae* (Fabricius, 1775)): Nast (1987); Söderman et al. (2009). Anyk01; Ign04; Ute01 (Vilbaste 1974). Kup01; Šilu12.

***Aphrodes* Curtis, 1831**

Aphrodes bicincta (Schrank, 1776) (= *A. ochromelas* (Gmelin, 1789)): Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Abdollahi et al. (2015). PanC01 (Mensonienė 1979). AlytD05; AlytD09; Kup02; Laz06; Rie01; Šilu05; Šilu11; Šilu12; Šven03; Šven11; Šven24; Trak12; Trak14; Trak15; Trak17; Ute03; Var36.

Aphrodes diminuta Ribaut, 1952: Söderman et al. (2009). Kup02.

Aphrodes makarovi Zakhvatkin, 1948: Nast (1987); Demir (2008); Söderman et al. (2009). Anyk01; Jurb02; Laz06 (Vilbaste 1974). Trak14.

***Planaphrodes* Hamilton, 1975**

***Planaphrodes bifasciata* (Linnaeus, 1758)** (= *Aphrodes bifasciata* (Linnaeus, 1758)): Vilbaste (1974); Nast (1987); Söderman et al. (2009); Liang et al. (2023). PanC01 (Mensonienė 1979). Anyk01; Ign06; Laz06; Ras01; Šiau03; Šilu01; Šilu02; Telš03; Trak18.

***Planaphrodes laeva* (Rey, 1891)** (= *Aphrodes trifasciatus* (G., 1785), *P. trifasciatus* (Fourcroy, 1785)): Demir (2008); Söderman et al. (2009); Liang et al. (2023). Ign06; Laz06.

***Planaphrodes nigrita* (Kirschbaum, 1868)** (= *Aphrodes nigritus* (Kirschbaum, 1868)): Söderman et al. (2009). AlytC01; Bir01; Laz02; PanC01; Vilk01 (Vilbaste 1974).

***Stroggylocephalus* Flor, 1861**

***Stroggylocephalus agrestis* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Trivellone (2010). AlytD02; Ign10; Kel05; KlaiD07; Šiau02; Šilu10; Šilu11; Šilu12; Telš03; Trak03; Ute01.

***Stroggylocephalus livens* (Zetterstedt, 1837)**: Nast (1987); Söderman et al. (2009). AlytD09 (Vilbaste 1974). KlaiD02.

Evacanthinae Crumb, 1911
Evacanthini Crumb, 1911

***Evacanthus* Le Peletier & Audinet-Serville, 1828**

***Evacanthus acuminatus* (Fabricius, 1794)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009). Bir01; PanD05; Šven24.

***Evacanthus interruptus* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Bir01; KauD13; Kup01; Kup03; Mar01; Šilu14; Šven24; Telš03; Trak12; Var28.

Cicadellinae Latreille, 1825
Cicadellini Latreille, 1825

***Cicadella* Latreille, 1817**

***Cicadella viridis* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Abdollahi et al. (2015); Ivanauskas et al. (2014a). KauD14; VilnD06 (Ivanauskas et al. 2014b). Akm01; AlytD01; AlytD02; AlytD09; Kal02; KauD24; Kėd02; Kel03; Kel05; KlaiD02; Rok02; Rok07; Rok08; Šiau02; Šiau06; Šilu13; Šven01; Šven08; Šven16; Šven29; Šven30; Var28.

***Graphocephala* Van Duzee, 1916**

***Graphocephala fennahi* Young, 1977**

iNaturalist record: VilnC10, 04 Aug. 2023 (iN176591036).

Remarks. A Nearctic species introduced to Europe in the 1930s (Nickel 2003). It occurs in parks, mainly on *Rhododendron* species (Nickel 2003; Gębicki et al. 2013; Zhuravleva et el. 2023). It is now widespread in Europe (Dmitriev et al. 2022). Records are known from countries neighbouring Lithuania. In particular, it was discovered in Poland in 1996 in Kórnik near Poznań (Gębicki et al. 2013) and in Latvia in 2016 in Riga (Piterāns 2016). In Lithuania, it is currently known only from an observation in Vilnius submitted to iNaturalist.

Typhlocybinae Kirschbaum, 1868
Alebrini McAtee, 1926

***Alebra* Fieber, 1872**

***Alebra albostriella* (Fallén, 1826)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Demir (2008); Söderman et al. (2009). AlytD04; Ign09; Laz05; Rok09; Šila01; Šilu10; Vilk01.

***Alebra neglecta* Wagner, 1940**: Nast (1987); Söderman et al. (2009); Laz06; Var26 (Vilbaste 1974).

***Alebra wahlbergi* (Boheman, 1845)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). El02; Mar01; PanD01; PanD05.

Dikraneurini McAtee, 1926

***Dikraneura* Hardy, 1850**

***Dikraneura variata* Hardy, 1850**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Ign06; PalM03; Šven24.

***Emelyanoviana* Anufriev, 1970**

***Emelyanoviana mollicula* (Boheman, 1845)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Nickel et al. (2014). Šilu10.

***Erythria* Fieber, 1866**

***Erythria aureola* (Fallén, 1806)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Laz06; Ras01.

***Forcipata* DeLong & Caldwell, 1942**

***Forcipata citrinella* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Bir01; Kel03; Kel05; Šiau02; Šiau06; Šven17.

***Forcipata forcipata* (Flor, 1861)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009).

***Micantulina* Anufriev, 1970**

***Micantulina pseudomicantula* (Knight, 1965)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009); Guglielmino et al. (2024); Kwon et al. (2025). KauD01 (Vilbaste 1974).

***Notus* Fieber, 1866**

***Notus flavipennis* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). VilnD06 (Ivanauskas et al. 2014b). AlytD01; AlytD02; Ign09; Kel05; KlaiD02; KlaiD07; Šilu04; Šilu05; Šilu10; Šilu11; Šilu12; Šven01; Šven06; Šven16; Šven18; Šven29; Trak03.

***Vilbasteana* Anufriev, 1970**

***Vilbasteana oculata* (Lindberg, 1929)** (= *Igutettix oculatus* (Lindberg, 1929)): Kwon et al. (2025). Anyk03 (Stalažs (2013)). KauC07; Pag01.

***Wagneriala* Anufriev, 1970**

***Wagneriala minima* (Sahlberg, 1871)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Anyk01; Ign06; Var17.

Empoascini Distant, 1908

***Austroasca* Lower, 1952**

***Austroasca vittata* (Lethierry, 1884)**: Söderman et al. (2009); Lu and Qin (2014). PanD01; Ras01; Šven24 (Vilbaste 1974). Jurb02.

***Chlorita* Fieber, 1872**

***Chlorita dumosa* (Ribaut, 1933)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Kaiš07; Trak18 (Vilbaste 1974).

***Chlorita paolii* (Ossiannilsson, 1939)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Demir (2008); Söderman et al. (2009). KauD14 (Ivanauskas et al. 2014b). AlytD08; Laz06; Rok05; Šak04; Šven03; Var36; Vilk01.

***Hebata* DeLong, 1931**

***Hebata affinis* (Nast, 1937)**: Nast (1987); Söderman et al. (2009). Var01 (Söderman and Dapkus 2009). PanD01.

***Hebata decipiens* (Paoli, 1930)** (= *Empoasca decipiens* Paoli, 1930): Nast (1987); Demir (2008); Söderman et al. (2009). AlytC01; Ign04; PanD01; Šven24 (Vilbaste 1974). PanD05.

***Hebata solani* (Curtis, 1846)** (= *Empoasca solani* (Curtis, 1846)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). AlytD02; Ign09; Ner01; PanD01; PanD05; Plu03; Šiau02; Šilu01; Šilu10; Šilu12; Vilk01; VilnD04.

***Hebata vitis* (Göthe, 1875)** (= *Empoasca vitis* (Göthe, 1875)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979); VilnD03; VilnD06 (Ivanauskas et al. 2014b). AlytD02; Kaiš07; Ner04; PanD04; PanD05; Šilu12.

***Kybos* Fieber, 1866**

***Kybos abstrusus* (Linnavuori, 1950)**: Ossiannilsson (1981); Nast (1987); Mühlethaler et al. (2009); Söderman et al. (2009); Mitjaev (2002, 2015). Rad04 (Vilbaste 1974).

***Kybos butleri* (Edwards, 1908)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Mühlethaler et al. (2009); Söderman et al. (2009). Mar01.

***Kybos oshanini* Zakhvatkin, 1953**: Vilbaste (1974); Nast (1987). Jurb02; Ras04.

***Kybos populi* (Edwards, 1908)**: Söderman et al. (2009). Trak07 (Söderman and Rintala 2009).

***Kybos smaragdula* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Mühlethaler et al. (2009); Söderman et al. (2009). Jurb02; Ras01.

***Kybos virgator* (Ribaut, 1933)**: Vilbaste (1974); Nast (1987); Demir (2008); Mühlethaler et al. (2009); Söderman et al. (2009). PanD04; Šven24.

Typhlocybini Kirschbaum, 1868

***Aguriahana* Distant, 1918**

***Aguriahana germari* (Zetterstedt, 1837)** (= *Wagneripteryx germari* (Zetterstedt, 1840)): Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD05; El02; PanD01; Šak03; Šven03; Vilk01; Vilk01.

***Aguriahana pictilis* (Stål, 1853)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009).

***Aguriahana stellulata* (Burmeister, 1841)**: Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Laz05 (Vilbaste 1974).

***Edwardsiana* Zakhvatkin, 1929**

***Edwardsiana ampliata* (Wagner, 1947)**: Söderman et al. (2009). Trak06 (Söderman and Rintala 2009).

***Edwardsiana avellanae* (Edwards, 1888)** (= *E. staminata* (Ribaut, 1931)): Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). PanD01; PanD05 (Vilbaste 1974).

***Edwardsiana bergmani* (Tullgren, 1916)**: Vilbaste (1974); Niedringhaus and Olthoff (1993); Söderman et al. (2009). Var01 (Söderman and Dapkus 2009). AlytD02; Jona01.

***Edwardsiana candidula* (Kirschbaum, 1868)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). PanD01 (Vilbaste 1974).

***Edwardsiana crataegi* (Douglas, 1876)**: Var01 (Söderman and Dapkus 2009).

***Edwardsiana flavescens* (Fabricius, 1794)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). AlytC01 (Vilbaste 1974).

***Edwardsiana frustrator* (Edwards, 1908)**: Söderman et al. (2009). Trak01; Trak08; Var17 (Söderman and Rintala 2009).

***Edwardsiana geometrica* (Schrank, 1801)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD04; Ign09; Laz05; Mar01; Mol04; PanD01; Rok04; Trak03; Var12.

***Edwardsiana gratiosa* (Boheman, 1852)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Laz05; VilnD07 (Vilbaste 1974). VilnD11.

***Edwardsiana lethierryi* (Edwards, 1881)**: Söderman et al. (2009). Vilk01 (Vilbaste 1974); Trak01 (Söderman and Rintala 2009).

***Edwardsiana menzbieri* Zakhvatkin, 1948**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Plu04; Ras04; Šilu02; Šven03; Telš02; VilnD04.

***Edwardsiana plebeja* (Edwards, 1914)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). PanD05 (Vilbaste 1974).

***Edwardsiana plurispinosa* (Wagner, 1935)**: Söderman et al. (2009). Trak06 (Söderman and Rintala 2009).

***Edwardsiana prunicola* (Edwards, 1914)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). VilnD05 (Vilbaste 1974). AlytD02; KlaiD02; Ras04.

***Edwardsiana rosae* (Linnaeus, 1758)**: Söderman et al. (2009). PanC01 (Mensonienė 1979).

***Edwardsiana salicicola* (Edwards, 1885)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). PanD01; Pas01; Vilk01 (Vilbaste 1974). AlytD02; Ign09; Šven25.

***Edwardsiana sociabilis* (Ossiannilsson, 1936)**: PanC01 (Mensonienė 1979).

***Edwardsiana soror* (Linnavuori, 1950)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Šilu02; VilnD04; VilnD07.

***Edwardsiana tersa* (Edwards, 1914)**: Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Thanou et al. (2018). Jurb02 (Vilbaste 1974).

***Edwardsiana ulmiphagus* Wilson & Claridge, 1999**: Söderman et al. (2009).

***Eupterycyba* Dlabola, 1958**

***Eupterycyba jucunda* (Herrich-Schäffer, 1837)**: Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). Laz05; VilnD11 (Vilbaste 1974). Šilu12.

***Eupteryx* Curtis, 1831**

***Eupteryx adspersa* (Herrich-Schäffer, 1838)**: Söderman et al. (2009). PanD01 (Vilbaste 1974).

***Eupteryx atropunctata* (Goeze, 1778)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Nickel et al. (2014). VilnD03 (Ivanauskas et al. 2014b). AlytD01; AlytD02; KlaiD07; PanD04; Plu03; Ras04; Šilu05; Šilu10; Šilu11; Šilu12; Tau03; Vilk01.

***Eupteryx aurata* (Linnaeus, 1758)**: Vilbaste (1974); Anufriev and Kirillova (1998); Söderman et al. (2009); Nickel et al. (2014). AlytD02; Mar01; Mol01; Ner02; Ner04; PanD05; Plu04; Šilu01; Tau03; Var12; Vilk01.

***Eupteryx calcarata* Ossiannilsson, 1936**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Šven24.

***Eupteryx collina* (Flor, 1861)**: Nast (1987); Söderman et al. (2009). Laz06; Šven03 (Vilbaste 1974). Kaiš07; Plu04; Ras02; Ras05; Šven07.

***Eupteryx cyclops* Matsumura, 1906**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD02; Ign09; Plu04; Šilu01; Šilu10; Šilu12; Tau03.

***Eupteryx notata* Curtis, 1837**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). PanC01 (Mensonienė 1979). AlytD02; KlaiD07; PanD05; Šilu04.

***Eupteryx origani* Zakhvatkin, 1948**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Guglielmino et al. (2005); Söderman et al. (2009). B01; Šilu01; Šven24; Tau02; Vilk01.

***Eupteryx signatipennis* (Boheman, 1847)**: Söderman et al. (2009). Trak06 (Söderman and Rintala 2009).

***Eupteryx stachydearum* (Hardy, 1850)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009).

***Eupteryx tenella* (Fallén, 1806)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Jurb02; Kaiš07; PanD02; Vilk01.

***Eupteryx urticae* (Fabricius, 1803)**: Vilbaste (1974); Le Quesne (1976); Nast (1987); Söderman et al. (2009). Ner02; Ner04; Plu04; Ras01; Šilu12.

***Eupteryx vittata* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD02; Mar01; Mol03; Ner02; Ner04; Plu04; Ras01; Rok03; Šilu10; Šilu11; Šilu12; Vilk01.

***Eurhadina* Haupt, 1929**

***Eurhadina concinna* (Germar, 1831)**: Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytC01; AlytD04; AlytD05; Šven03 (Vilbaste 1974).

***Eurhadina kirschbaumi* Wagner, 1937**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009).

***Eurhadina pulchella* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). PanC01 (Mensonienė 1979). AlytD02; AlytD05; El02; Ign09; Kal03; Laz05; PanD05; Telš02; Vilk01.

***Eurhadina saageri* Wagner, 1937**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD05; Kal03; Laz05; PanD05; Vilk01.

***Fagocyba* Dlabola, 1958**

***Fagocyba carri* (Edwards, 1914)**: Vilbaste (1974); Ossiannilsson (1981); Nast (1987); Söderman et al. (2009). El02; PanD05; Vilk01.

***Fagocyba cruenta* (Herrich-Schäffer, 1838)**: Nast (1987); Söderman et al. (2009). AlytC01; AlytD04; El02; PanD05; Vilk01 (Vilbaste 1974).

***Linnavuoriana* Dlabola, 1958**

***Linnavuoriana decempunctata* (Fallén, 1806)**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009).

***Linnavuoriana sexmaculata* (Hardy, 1850)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD02; Ign09; Jurb03; PanD01; PanD02; Pas01; Rok04; Šiau06; Šilu12; Trak18.

***Ribautiana* Zakhvatkin, 1947**

***Ribautiana tenerrima* (Herrich-Schäffer, 1834)**: Söderman et al. (2009). Trak01 (Söderman and Rintala 2009).

***Ribautiana ulmi* (Linnaeus, 1758)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD02.

***Typhlocyba* Germar, 1833**

***Typhlocyba quercus* (Fabricius, 1777)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Ign09; KauD01; Laz05; PanD05; Var12; Vilk01; VilnD11.

***Zonocyba* Vilbaste, 1982**

***Zonocyba bifasciata* (Boheman, 1851)** (= *Typhlocyba bifasciata* Boheman, 1851): Nast (1987); Söderman et al. (2009). AlytD04 (Vilbaste 1974).

Erythroneurini Young, 1952

***Alnetoidia* Dlabola, 1958**

***Alnetoidia alneti* (Dahlbom, 1850)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). PanD04; Šilu10; Šilu12.

***Arboridia* Zakhvatkin, 1946**

***Arboridia parvula* (Boheman, 1845)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998). Kel03; Kel05; Laz06; Rok09.

***Arboridia ribauti* (Ossiannilsson, 1937)**: Nast (1987); Söderman et al. (2009). El02; PanD05 (Vilbaste 1974).

***Arboridia velata* (Ribaut, 1952)**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). El02 (Vilbaste 1974).

***Zygina* Fieber, 1866**

***Zygina angusta* Lethierry, 1874**: Söderman et al. (2009). Trak05 (Söderman and Rintala 2009).

***Zygina flammigera* (Fourcroy, 1785)** (= *Flammigeroidia flammigera* (Fourcroy, 1785)): Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). VilnD03 (Ivanauskas et al. 2014b). PanD01; PanD05; Vilk01.

***Zygina hyperici* (Herrich-Schäffer, 1836)** (= *Hypericiella hyperici* (Herrich-Schäffer, 1836)): Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Plu03; Šven03; Trak15; Ute03; VilnD07.

***Zygina ordinaria* (Ribaut, 1936)** (= *Flammigeroidia ordinaria* (Ribaut, 1936)): Nast (1987); Demir (2008); Söderman et al. (2009). Trak03 (Vilbaste 1974). AlytC01; Pas01; Šven03; Vilk01; VilnD11.

***Zygina rubrovittata* (Lethierry, 1869)** (= *Flammigeroidia rubrovittata* (Lethierry, 1869)): Nast (1987); Söderman et al. (2009). VilnD07 (Vilbaste 1974).

***Zygina suavis* Rey, 1891** (= *Flammigeroidia suavis* (Rey, 1891)): Vilbaste (1974); Nast (1987); Söderman et al. (2009).

***Zygina tiliae* (Fallén, 1806)** (= *Flammigeroidia tiliae* (Fallén, 1806)): Vilbaste (1974); Nast (1987); Söderman et al. (2009).

***Zyginidia* Haupt, 1929**

***Zyginidia scutellaris* (Herrich-Schäffer, 1838)** – Šilu12: 1♂ (MZVUHe01908), 3–15 Jul. 2024, Malaise trap, A. Petrašiūnas leg.; KauD02: Braziūkai, 54.90144, 23.48473, 1♂, 5♀, 06 Nov. 2025, grassland on sandy soil, V. Tamutis leg.

Remarks. The distribution of the species requires clarification. In particular, the species has not been recorded at its type locality for approximately 20 years. It has also been noted that *Z. scutellaris* has been recorded in Germany since the 1950s; however, in specific habitats, the species' absence was reliably confirmed during the 1960s and 1970s (Nickel 2003). Among the countries neighbouring Lithuania, it is known only from Poland, where it is a rare species associated with the Baltic coast (Gębicki et al. 2013). We have also recorded the species in Poland (Warmian-Masurian Voivodeship, Mrągowo County, Gmina Mikołajki, Urwitałt environs) (TUZ020040, TUZ020181). There are also records from Estonia (Remm 1970), which require confirmation.

***Zyginidia viaduensis* (Wagner, 1941)**: Nast (1987); Söderman et al. (2009). Anyk01 (Vilbaste 1974).

Deltocephalinae Fieber, 1869
Eupelicini Sahlberg, 1871

***Eupelix* Germar, 1821**

***Eupelix cuspidata* (Fabricius, 1775)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Abdollahi et al. (2015). Kėd01; Rad04; Trak15; Ute03; Var36; Vilk01; VilnC07.

Opsiini Emeljanov, 1962

***Neoaliturus* Distant, 1918**

***Neoaliturus fenestratus* (Herrich-Schäffer, 1834)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Abdollahi et al. (2015). Ign06; Šven24; Trak18; Ute01; Var36; Var37; VilnD07.

***Neoaliturus guttulatus* (Kirschbaum, 1868)**: Vilbaste (1974). B01; Drus01; Šven03; Var36; Var37; VilnD07.

Macrostelini Kirkaldy, 1906

***Balclutha* Kirkaldy, 1900**

***Balclutha arhenana* Dlabola, 1967**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009).

***Balclutha boica* Wagner, 1950**: Nickel (2003); Söderman et al. (2009). K.R.01.

***Balclutha calamagrostis* Ossiannilsson, 1961**: Vilbaste (1974); Ossiannilsson (1983); Nast (1987); Söderman et al. (2009). VilnD06 (Ivanauskas et al. 2014b). AlytD09; Var37; VilnD04.

***Balclutha lineolata* (Horváth, 1904)**: Vilbaste (1974); Nast (1987).

***Balclutha punctata* (Fabricius, 1775)**: Vilbaste (1974); Söderman et al. (2009); Abdollahi et al. (2015). PanC01 (Mensonienė 1979); KauD14 (Ivanauskas et al. 2014b). Drus01; Kel03; PanD04; Plu03; Rok09; Šilu02; Vilk01; Zar02.

***Coryphaelus* Puton, 1886**

***Coryphaelus gyllenhalii* (Fallén, 1826)** (= *Coryphaeus gyllenhalii* (Fallén, 1826)): Nast (1987); Söderman et al. (2009). Laz06 (Vilbaste 1974).

***Macrosteles* Fieber, 1866**

***Macrosteles alpinus* (Zetterstedt, 1828)**: Kwon and Know (2022). Šiau04.

***Macrosteles cristatus* (Ribaut, 1927)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). PanC01 (Mensonienė 1979); VilnD06 (Ivanauskas et al. 2014b). Tau02.

***Macrosteles frontalis* (Scott, 1875)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022); Ras04; Šiau06.

***Macrosteles horvathi* (Wagner, 1935)**: Vilbaste (1974); Söderman et al. (2009); Kwon and Kwon (2022). Plu03.

***Macrosteles laevis* (Ribaut, 1927)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Abdollahi et al. (2015); Kwon and Kwon (2022). AlytD02; Anyk06; Ign07; Kaiš07; Kel03; Kel05; Ner01; PanD02; Plu03; Ras01; Rok01; Rok04; Rok05; Šiau02; Šiau06; Šven12; Šven24; Šven28; Var36; Var37; Vilk01; VilnD04.

***Macrosteles lividus* (Edwards, 1894)**: Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). Laz06; Var17; Var36 (Vilbaste 1974).

***Macrosteles nubilus* (Ossiannilsson, 1936)**: Söderman et al. (2009); Kwon and Kwon (2022). Var01 (Söderman and Dapkus 2009).

***Macrosteles oshanini* Razvyazkina, 1957**: Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). Anyk02 (Vilbaste 1974).

***Macrosteles ossiannilssoni* Lindberg, 1954**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). B01; PanD02.

***Macrosteles pygmaeus* Vilbaste, 1974**: Nast 1982, 1987; Kwon and Kwon (2022). Šven14; Zar01 (Vilbaste 1974). Šven01.

***Macrosteles quadripunctulatus* (Kirschbaum, 1868)**: Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Kwon and Kwon (2022). Ign04; Var37; Vilk01.

***Macrosteles septemnotatus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). K.R.01; Mol03; Šven03.

***Macrosteles sexnotatus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ivanauskas et al. (2011, 2014a); Abdollahi et al. (2015); Kwon and Kwon (2022). KauD14; VilnD03 (Ivanauskas et al. 2014b). Plu04; Ras04; Šilu02; Tau02; Tau03; Telš02.

***Macrosteles variatus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). AlytD02; Mol03; PalM03; PanC01.

***Macrosteles viridigriseus* (Edwards, 1924)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Kwon and Kwon (2022). Anyk02.

***Sagatus* Ribaut, 1948**

***Sagatus punctifrons* (Fallén, 1826)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Kwon and Kwon (2022). KauD14 (Ivanauskas et al. 2014b). Jurb04; Kel05; Rok04; Ute05.

***Sonronius* Dorst, 1937**

***Sonronius binotatus* (Sahlberg, 1871)**: Nast (1987); Söderman et al. (2009); Kwon and Kwon (2022). VilnD07 (Vilbaste 1974). Šven28.

***Sonronius dahlbomi* (Zetterstedt, 1837)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

Deltocephalini Fieber, 1869

***Deltocephalus* Burmeister, 1838**

***Deltocephalus pulicaris* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). Šilu10; Šilu11; Šven17; Var36.

Chiasmini Distant, 1908

***Doratura* Sahlberg, 1871**

***Doratura exilis* Horváth, 1903**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Bückle and Guglielmino (2022). Anyk01; Ign06; Šven24; Var17; Var37.

***Doratura homophyla* (Flor, 1861)** (= *Doratura littoralis* Kuntze, 1937): Metcalf (1967); Vilbaste (1974); Nast (1987); Demir (2008); Söderman et al. (2009); Bückle and Guglielmino (2022). Trak12; Trak15; Ute03; Var36.

***Doratura impudica* Horváth, 1897**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Bückle and Guglielmino (2022). Trak15; Ute03.

***Doratura stylata* (Boheman, 1847)**: Metcalf (1967); Vilbaste (1974); Nast (1987); Söderman et al. (2009); Abdollahi et al. (2015); Bückle and Guglielmino (2022). Jurb02; Mar01; Mol03; Rok09; Šilu12; Šven08; Šven29; Trak12; Var36; Zar02.

Fieberiellini Wagner, 1951

Fieberiella Signoret, 1880

***Fieberiella macchiae* Linnavuori, 1962**: PanC01 (Mensonienė 1979).

***Fieberiella septentrionalis* Wagner, 1963**: Söderman et al. (2009). Šven04; Trak06; Trak07; Trak19 (Söderman and Rintala 2009). Šak06; Šak07; Šak10; Šak11; Širv01.

Athysanini Van Duzee, 1892

***Allygidius* Ribaut, 1948**

***Allygidius commutatus* (Fieber, 1872)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytC01; Ign06; Laz06; Ner01; Ner04; PanD01; Šven03; Šven14; Zar03.

***Allygus* Fieber, 1872**

***Allygus communis* (Ferrari, 1882)**: Söderman et al. (2009) Jurb06; Kal02; Ner07; Šak12.

***Allygus mixtus* (Fabricius, 1794)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); PanC01 (Mensonienė 1979). AlytC01; AlytD05; Bir01; Jurb06; Kaiš06; KauC01; PanD01; Šak08; Šak12; Trak03; Zar03.

***Allygus modestus* Scott, 1876**: Söderman et al. (2009).

***Athysanus* Burmeister, 1838**

***Athysanus argentarius* Metcalf, 1955**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). AlytD01; K.R.03; KauD24; KlaiD02; KlaiD07; Pag01; Ute01; Var28; Vilk01.

***Athysanus quadrum* Boheman, 1845**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Guglielmino et al. (2005); Söderman et al. (2009); Trivellone et al. (2015). AlytD02; AlytD05; AlytD09; Ign10; Pag01; Telš03; Ute01.

***Conosanus* Osborn & Ball, 1902**

***Conosanus obsoletus* (Kirschbaum, 1858)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Mar01; PanD05; Šila01.

***Doliotettix* Ribaut, 1942**

***Doliotettix lunulatus* (Zetterstedt, 1837)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009).

***Euscelidius* Ribaut, 1942**

***Euscelidius schenckii* (Kirschbaum, 1868)**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). VilnC09 (Vilbaste 1974). Širv01; Šven16.

***Euscelis* Brullé, 1832**

***Euscelis distinguenda* (Kirschbaum, 1858)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Khoobdel and Palarpour-Rayeni (2021). Ign06; Laz06; Šven03; Šven14; Šven24; Var36; Var37.

***Euscelis incisa* (Kirschbaum, 1858)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ivanauskas et al. (2011, 2014a); Khoobdel Khoobdel and Palarpour-Rayeni (2021). KauD14 (Ivanauskas et al. 2014b). Šilu10; Var36.

***Graphocraerus* Thomson, 1869**

***Graphocraerus ventralis* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979); KauD14 (Ivanauskas et al. 2014b). Bir01; KlaiD07; Šilu05; Šilu10; Šven19; Šven28; Šven29; Trak12.

***Grypotes* Fieber, 1866**

***Grypotes puncticollis* (Herrich-Schäffer, 1834)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). El02; PanD01; Šak03; Šven01; Trak18; Vilk01.

***Handianus* Ribaut, 1942**

***Handianus flavovarius* (Herrich-Schäffer, 1835)**: Nast (1987); Nickel (2003); Söderman et al. (2009). Ras01 (Vilbaste 1974). KauD04; Šven28; Šven29; Trak12.

***Hesium* Ribaut, 1942**

***Hesium domino* (Reuter, 1880)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD04; Anyk02; Jurb07; Kaiš06; KauD19; PanD01; Plu03; Šak03; Šila01; Šven24; Šven28; Šven29; Trak18; VilnD07.

***Idiodonus* Ball, 1936**

***Idiodonus cruentatus* (Panzer, 1799)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven24.

***Laburrus* Ribaut, 1942**

***Laburrus impictifrons* (Boheman, 1852)**: Vilbaste (1974); Söderman et al. (2009). Ign06; Rok04; Šven03; Šven28; Šven29.

***Lamprotettix* Ribaut, 1952**

***Lamprotettix nitidulus* (Fabricius, 1787)**: Nast (1987); Söderman et al. (2009). Laz02; PanD04; Var26 (Vilbaste 1974). Kaiš06; Kre02.

***Macustus* Ribaut, 1942**

***Macustus grisescens* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KlaiD02; Šven17; Šven28; Trak12; Trak13.

***Pithyotettix* Ribaut, 1942**

***Pithyotettix abietinus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). B01; Ner06.

***Speudotettix* Ribaut, 1942**

***Speudotettix subfusculus* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Drus01; Plu03; Plu04; Rad05; Ras05; Rok03.

***Stictocoris* Thomson, 1869**

***Stictocoris picturatus* (Sahlberg, 1842)**: Nast (1987); Söderman et al. (2009). Šven24 (Vilbaste 1974). Šven28; Trak12; Trak14.

***Streptanus* Ribaut, 1942**

***Streptanus aemulans* (Kirschbaum, 1868)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). Bir01; Pas01; Šilu11; Trak12; Vilk01.

***Streptanus confinis* (Reuter, 1880)**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Bir01; K.R.01 (Vilbaste 1974). Kup02; Laz05; Pag01.

***Streptanus marginatus* (Kirschbaum, 1858)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven14.

***Streptanus sordidus* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Ign04; Kal02; Laz05; Telš03.

Thamnotettix Zetterstedt, 1837

***Thamnotettix confinis* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Ign04; PanC01; PanD04; Šven14; Zar03.

Platymetopiini Haupt, 1929

***Colladonus* Ball, 1936**

***Colladonus torneella* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD08.

***Platymetopius* Burmeister, 1838**

***Platymetopius guttatus* Fieber, 1869**: Söderman et al. (2009). Trak19 (Söderman and Rintala 2009).

***Platymetopius undatus* (De Geer, 1773)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). El02; Ign09; Kel03; Šiau06; Šven03; Trak18.

Cicadulini Van Duzee, 1892

***Cicadula* Zetterstedt, 1837**

***Cicadula albingensis* Wagner, 1940**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). PanD05 (Vilbaste 1974).

***Cicadula flori* (Sahlberg, 1871)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD01; AlytD02; Ign09; Kel05; KlaiD02; KlaiD07; Šilu05; Šilu10; Šven25; VilnD04.

***Cicadula frontalis* (Herrich-Schäffer, 1835)**: Vilbaste (1974); Söderman et al. (2009).

***Cicadula longiventris* (Sahlberg, 1871)** (= *Cicadula rubroflava* Linnavuori, 1952): Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanD01.

***Cicadula nigricornis* (Sahlberg, 1871)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven03.

***Cicadula persimilis* (Edwards, 1920)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Mar01; Rok06; Vilk01.

***Cicadula quadripunctata* (De Villers, 1789)** (= *Cicadula quadrinotata* (Fabricius, 1794)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979). Mar01; PanD02; Rok06; Šilu05; Vilk01; VilnD04.

***Cicadula saturata* (Edwards, 1915)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Kel05.

***Elymana* DeLong, 1936**

***Elymana kozhevnikovi* (Zakhvatkin, 1938)** (= *Elymana ikumae* (Matsumura, 1911)): Vilbaste (1974); Nast (1987); Söderman et al. (2009); Naveed et al. (2023). Ign07; Šven03.

***Elymana sulphurella* (Zetterstedt, 1828)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Naveed et al. (2023). PanC01 (Mensonienė 1979); KauD14; VilnD06 (Ivanauskas et al. 2014b). Bir04; Rok06; Šven29.

***Hardya* Edwards, 1922**

***Hardya signifer* (Then, 1897)**: Nast (1987); Nickel (2003); Söderman et al. (2009). Var17; Var37 (Vilbaste 1974).

***Hardya tenuis* (Germar, 1821)**: Söderman et al. (2009). Var17 (Vilbaste 1974).

***Paluda* DeLong, 1937**

Paluda flaveola (Boheman, 1845): Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). VilnC07.

***Rhopalopyx* Ribaut, 1939**

***Rhopalopyx adumbrata* (Sahlberg, 1842)** (= *Paluda adumbrata* (Sahlberg, 1842)): Vilbaste (1974); Nast (1987); Söderman et al. (2009); Den Bieman et al. (2021). AlytD09; Laz05.

***Rhopalopyx preyssleri* (Herrich-Schäffer, 1838)** (= *Paluda preyssleri* (Herrich-Schäffer, 1838)): Vilbaste (1974); Nast (1987); Nast (1987); Söderman et al. (2009); Den Bieman et al. (2021). Mar01; Šven08; Trak12; Trak18; Vilk01.

***Rhopalopyx vitripennis* (Flor, 1861)** (= *Paluda vitripennis* (Flor, 1861)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven29; Trak18.

Limotettigini Baker, 1915

***Limotettix* Sahlberg, 1871**

***Limotettix atricapillus* (Boheman, 1845)**: Vilbaste (1973, 1974); Nast (1987); Söderman et al. (2009). AlytD02; AlytD09; Ute01; Var08.

***Limotettix ochrifrons* Vilbaste, 1973**: Vilbaste (1973, 1974); Anufriev (1978); Nast (1982, 1987); Söderman et al. (2009). Var08.

***Limotettix sphagneticus* Emeljanov, 1964**: Vilbaste (1973, 1974); Nast (1987); Söderman et al. (2009). Ign10; Trak03; Var08.

***Limotettix striola* (Fallén, 1806)**: Vilbaste (1974); Söderman et al. (2009); Abdollahi et al. (2015). Anyk02; Kėd01; KlaiD07; Telš05.

***Ophiola* Edwards, 1922**

***Ophiola corniculus* (Marshall, 1866)** (= *Scleroracus corniculus* (Marshall, 1866)): Vilbaste (1974); Söderman et al. (2009); Nast (1987); Trivellone (2010).

***Ophiola decumana* (Kontkanen, 1949)** (= *Scleroracus decumanus* (Kontkanen, 1949)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Mol03; Šilu10; Šven08; Šven16; Šven24; Var36; Var37.

***Ophiola identica* (Tishechkin, 2003)**: Söderman et al. (2009).

***Ophiola russeola* (Fallén, 1826)** (= *Scleroracus plutonius* (Uhler, 1877), *S. russeolus* (Fallén, 1826)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Kel05; Laz06; Šilu07; Šven01; Šven06; Šven12; Šven14; Šven24; Šven26; Trak18; Var36.

***Ophiola transversa* (Fallén, 1826)** (= *Scleroracus transversus* (Fallén, 1826)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven24; Trak18; Var36.

Paralimnini Distant, 1908

***Arocephalus* Ribaut, 1946**

***Arocephalus languidus* (Flor, 1861)**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Ras01 (Vilbaste 1974). AlytD02; Kup04; Pag01; Šilu05; Šven29.

***Arocephalus punctum* (Flor, 1861)**: Vilbaste (1974); Söderman et al. (2009). Šven14.

Arthaldeus Ribaut, 1946

***Arthaldeus arenarius* Remane, 1960** – Pag01: 1♂ (MZVUHe00706), 12 Aug. 2022, yellow pan traps, J. Skuja leg.; Šven16: 1♂ (TUZ359695), 28 Jun. 2023, O. Borodin leg.; Šven28: 1♂ (TUZ359823), 28 Jun. 2023, meadow, O. Borodin leg.

Remarks. A monophagous species on *Calamagrostis epigejos* (Nickel 2003). For a long time, it was primarily recorded in the southern part of the Western Palearctic. During the last 20 years, it has been found in Belarus (Borodin 2004), England (Wilson et al. 2015), Finland (Albrecht et al. 2015), Latvia (Ziemelis 2012), and Poland (Gębicki et al. 2013).

***Arthaldeus pascuellus* (Fallén, 1826)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KauD14 (Ivanauskas et al. 2014b). AlytD01; AlytD02; AlytD05; Ign02; Ign07; Ign09; Kal02; KauD10; Kel05; KlaiD02; Pag01; Šal01; Šilu04; Šilu05; Šilu10; Šilu11; Šilu12; Šven01; Šven08; Šven13; Šven16; Šven28; Šven29.

***Arthaldeus striifrons* (Kirschbaum, 1868)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KauD14 (Ivanauskas et al. 2014b). AlytD02; AlytD05; AlytD09; Bir01; Bir04; Jurb02; Kėd01; Kėd01; Kel03; KlaiD07; Mar01; Mol05; Šila01; Šilu10; Šven19; Šven29; Telš03; Telš05; Ute01.

Calamotettix Emeljanov, 1959

***Calamotettix taeniatus* (Horváth, 1911)** – AlytD02: 2♂, 1♀, 19 Jul. –03 Aug. 2020, Malaise trap, A. Petrašiūnas leg.; Ign02: 1♀, 21 Jun. 2018, sweep netting, A. Petrašiūnas leg.; 1♀ (MZVUHe01030), 26 Jul. 2020, sweep netting, A. Petrašiūnas leg.; 1♂ (MZVUHe00001), 2♀ (MZVUHe00002, TUZ359701), 23 Jul. 2022, sweep netting, A. Petrašiūnas leg.; Jona01: 2♂, 23 Jul. –07 Aug. 2022, Malaise trap, A. Petrašiūnas leg.; KlaiD07: 1♂, 22 Jul. –05 Aug. 2022, Malaise trap, A. Petrašiūnas leg.; Šiau07: 1 ex (MZVUHe03079), Alkaline fen, 19 Jul. 2024, E. Sriubaite leg.

Remarks. A monophagous species on *Phragmites australis* (Nickel 2003). In Northern Europe, it was previously known only from Finland (Söderman et al. 2009; Albrecht et al. 2015). It is also known from the Pskov Region of Russia (Söderman et al. 2009). Since 2012, it has been recorded in Poland (Walczak and Jeziorowska 2015) and since 2011 in Latvia (Ziemelis 2014; Borodin 2023). The species is likely undergoing a northward range expansion.

Cosmotettix Ribaut, 1942

***Cosmotettix aurantiacus* (Forel, 1859)**: Nast (1987); Della Giustina and Remane (2001); Nickel (2003); Söderman et al. (2009). Laz05 (Vilbaste 1974).

***Cosmotettix costalis* (Fallén, 1826)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD02; Anyk01; KlaiD02; Var08.

***Cosmotettix edwardsi* (Lindberg, 1924)** – KlaiD02: 1♀ (MZVUHe01208), 25 Jun. 2020, sweep netting, A. Petrašiūnas leg.; Šven16: 1♂ (TUZ359779), 28 Jun. 2023, O. Borodin leg.

Remarks. A rare species occurring sporadically in Denmark, Sweden, Finland, and Estonia (Nast 1972, 1987; Ossiannilsson 1983; Söderman et al. 2009). It is also known from Canada (Metcalf 1967); Kazakhstan (Emeljanov 1969; Mitjaev 1971, 2002, 2015; Nast 1972; Anufriev and Kirillova 1998); Kyrgyzstan (Dubovsky and Karimov 1970; Nast 1972; Chelpakova 1996; Mitjaev 2015); Latvia (Varzinska 1983; Nast 1987; Spuris 1996); Mongolia (Dworakowska 1973); the European part of Russia (Emeljanov 1964; Tishechkin 1988; Anufriev and Kirillova 1998; Anufriev 2000; Dmitriev 2001; Anufriev and Smirnova 2009); and Uzbekistan (Dubovsky 1966; Mitjaev 2015).

***Cosmotettix panzeri* (Flor, 1861)**: Nast (1987); Söderman et al. (2009). Šven14 (Vilbaste 1974). AlytD02.

Diplocolenus Ribaut, 1946

***Diplocolenus abdominalis* (Fabricius, 1803)** (= *Verdanus abdominalis* (Fabricius, 1803)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). KauD14 (Ivanauskas et al. 2014b). Ign03; Jurb05; Kal01; KauD04; KlaiD07; Kup05; Mar01; Rok05; Šal01; Šal02; Šven08; Šven19; Šven29; Trak12; Trak13; VilnC01.

***Diplocolenus bohemanni* (Zetterstedt, 1837)**: Vilbaste (1974); Söderman et al. (2009). Zar04.

Errastunus Ribaut, 1946

***Errastunus ocellaris* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979); KauD14 (Ivanauskas et al. 2014b). AlytD01; Ign02; Ign03; Ign09; Jurb05; Kal01; KauD09; Kup01; Kup02; Kup03; Kup05; Mar01; Mol04; Ner02; Ner09; Pag01; Plu03; Rad06; Rok04; Šal01; Šilu04; Šilu05; Šilu09; Šilu10; Šilu11; Šilu12; Šven15; Šven16; Šven17; Šven28; Šven29; Trak12.

Erzaleus Ribaut, 1952

***Erzaleus metrius* (Flor, 1861)**: Metcalf (1967); Södermanetal. (2009). Bir01 (Vilbaste 1974); Var01 (Söderman and Dapkus 2009). Pag01; Šilu05; Šilu10; Šilu11; Šilu12.

Jassargus Zakhvatkin, 1933

***Jassargus allobrogicus* (Ribaut, 1936)**: KlaiC01 (Vilbaste 1974). Ner02.

***Jassargus alpinus* (Then, 1896)** (= *J. a. neglectus* (Then, 1896), *J. neglectus* (Then, 1896)): Vilbaste (1974); Söderman et al. (2009). Šven14; Šven17.

***Jassargus distinguendus* (Flor, 1861)** (= *J. pseudocellaris* (Flor, 1861)): Vilbaste (1974); Nast (1987); Söderman et al. (2009). Ner04; PanD02; Šilu02.

***Jassargus flori* (Fieber, 1869)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). VilnD06 (Ivanauskas et al. 2014b). Ign04; Laz06; Šven03; Šven24; Var36; Zar02.

***Jassargus sursumflexus* (Then, 1902)** – KlaiD02: 4♂ (MZVUHe01393, MZVUHe01485, MZVUHe01487, MZVUHe01492), 22 Jul. 2022, sweep netting, A. Petrašiūnas leg.; Kel03: 9♂ (MZVUHe02025-MZVUHe02027, MZVUHe02064, MZVUHe02067-MZVUHe02069, MZVUHe02109, MZVUHe02110), 8 ex (MZVUHe03317-MZVUHe03324), 05 Jul. 2024, sweep netting, E. Sriubaite leg.; 51♂ (MZVUHe02011-MZVUHe02024, MZVUHe02033-MZVUHe02043, MZVUHe02055-MZVUHe02062, MZVUHe02078-MZVUHe02083, MZVUHe02096-MZVUHe02107), 31 ex (MZVUHe03370-MZVUHe03400), 19 Jul. 2024, sweep netting, E. Sriubaite leg.; 27♂ (MZVUHe02001-MZVUHe02010, MZVUHe02046-MZVUHe02054, MZVUHe02070-MZVUHe02073, MZVUHe02092-MZVUHe02095), 44 ex (MZVUHe04015-MZVUHe04024, MZVUHe04026-MZVUHe04059), 05 Aug. 2024, sweep netting, E. Sriubaite leg.; 20♂ (MZVUHe02028-MZVUHe02032, MZVUHe02044, MZVUHe02045, MZVUHe02065, MZVUHe02066, MZVUHe02074-MZVUHe02077, MZVUHe02084-MZVUHe02090), 2♀ (MZVUHe02111, MZVUHe02112), 29 ex (MZVUHe04025, MZVUHe04065-MZVUHe04092), 19 Aug. 2024, sweep netting, E. Sriubaite leg.; Šiau07: 2♂ (MZVUHe02124, MZVUHe02125), 6 ex (MZVUHe03311-MZVUHe03316), 05 Jul. 2024, sweep netting, E. Sriubaitė leg.; 11♂ (MZVUHe02091, MZVUHe02113, MZVUHe02114, MZVUHe02116-MZVUHe02123), 45 ex (MZVUHe03325-MZVUHe03369), 19 Jul. 2024, sweep netting, E. Sriubaitė leg.; 1♀ (MZVUHe02063), 14 ex (MZVUHe04001-MZVUHe04014), 06 Aug. 2024, sweep netting, E. Sriubaitė leg.; 2♂ (MZVUHe02108, MZVUHe02115), 5 ex (MZVUHe04060-MZVUHe04064), 19 Aug. 2024, sweep netting, E. Sriubaitė leg.

Remarks. A widespread species in Europe (Nast 1972, 1987; Dmitriev et al. 2022), which is monophagous on *Molinia caerulea* (Nickel 2003). It has been recorded in all countries neighbouring Lithuania (Söderman et al. 2009; Borodin 2015b).

Metalimnus Ribaut, 1948

***Metalimnus formosus* (Boheman, 1845)**: Vilbaste (1974); Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). AlytD09; Anyk01; Anyk02; Šilu12.

***Metalimnus marmoratus* (Flor, 1861)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). AlytD01; Ign10; Kel05; Mar01; Šila01; Šilu04; Šilu05; Šilu10; Šilu12; Trak03.

***Metalimnus obtusus* Emeljanov, 1966**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009).

***Metalimnus steini* (Fieber, 1869)**: Söderman et al. (2009). Var01 (Söderman and Dapkus 2009).

Mocuellus Ribaut, 1946

***Mocuellus collinus* (Boheman, 1850)**: Nast (1987); Vilbaste (1974); Söderman et al. (2009). KlaiD02; Šilu09; Šven14; Trak15.

Paralimnus Matsumura, 1902

***Paralimnus lugens* (Horváth, 1897)** (= *P. zachvatkini* Emeljanov, 1964): Söderman et al. (2009). Var01 (Söderman and Dapkus 2009).

****Paralimnus phragmitis* (Boheman, 1847)** – AlytD02: 1♀, 24 Jul. 2020, sweep netting, A. Petrašiūnas leg.; Ign02: 7♂ (MZVUHe00994, MZVUHe01028, MZVUHe01371, MZVUHe01586), 23♀ (MZVUHe00992, MZVUHe00996, MZVUHe00998-MZVUHe01000, MZVUHe01025, MZVUHe01027, MZVUHe01029, MZVUHe01033, MZVUHe01034, MZVUHe01367, MZVUHe01369, MZVUHe01370, MZVUHe01372), 26 Jul. 2020, sweep netting, A. Petrašiūnas leg.; 4♂ (MZVUHe00027, MZVUHe00037, MZVUHe00045, MZVUHe00050), 15♀ (MZVUHe00024-MZVUHe00026, MZVUHe00028, MZVUHe00029, MZVUHe00031-MZVUHe00036, MZVUHe00040, MZVUHe00041, MZVUHe00047, TUZ359712), 23 Jul. 2022, sweep netting, A. Petrašiūnas leg.; Jona01: 1♀ (MZVUHe01352), 23 Jun. 2020, sweep netting, A. Petrašiūnas leg.; 5♂, 2–13 Jul. 2020, Malaise trap, A. Petrašiūnas leg.; 2♀ (MZVUHe01317, MZVUHe01654), 26 Jul. 2020, sweep netting, A. Petrašiūnas leg.; 39♂ (MZVUHe01669, MZVUHe01679), 1♀, 26 Jul. –07 Aug. 2020, Malaise trap, A. Petrašiūnas leg.; 4♂ (MZVUHe00054, MZVUHe00059, MZVUHe00062, MZVUHe00063), 7–23 Jul. 2022, Malaise trap, A. Petrašiūnas leg.; 4♂ (MZVUHe00991), 5♀, 23 Jul. 2022, sweep netting, A. Petrašiūnas leg.; KlaiD07: 1♂, 3♀, 25 Jul. 2020, sweep netting, A. Petrašiūnas leg.; 3♂, 6–22 Jul. 2022, Malaise trap, A. Petrašiūnas leg.; 1♀, 22 Jul. 2022, sweep netting, A. Petrašiūnas leg.; Šiau04: 1 ex (MZVUHe03051), 05 Jul. 2024, E. Sriubaite leg.; 4 ex (MZVUHe03067-MZVUHe03070), 20 Jul. 2024, E. Sriubaite leg.; 1 ex (MZVUHe03077), 19 Aug. 2024, E. Sriubaite leg.; Šiau07: 3 ex (MZVUHe03048-MZVUHe03050), 05 Jul. 2024, E. Sriubaite leg.; 15 ex (MZVUHe03052-MZVUHe03066), 19 Jul. 2024, E. Sriubaite leg.; 6 ex (MZVUHe03071-MZVUHe03076), 06 Aug. 2024, E. Sriubaite leg.; Šilu05: 1♀ (MZVUHe01109), 25 Jul. 2020, sweep netting, A. Petrašiūnas leg.; Šilu10: 3♀, 26 Jul. –06 Aug. 2017, Malaise trap, A. Petrašiūnas, J. Liemke, K. Lingytė leg.

Remarks. A widespread species in the western part of the Palearctic region (Dmitriev et al. 2022), but locally rare. Monophagous on *Phragmites australis* (Nickel 2003). Given the species' distribution pattern, its occurrence in Lithuania appeared highly probable. Previously, only the rare *Paralimnus lugens* (Horváth, 1897) had been reported from Lithuania (Söderman et al. 2009).

Pinumius Ribaut, 1946

***Pinumius areatus* (Stål, 1858)**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009); Mitjaev (2015). Šven24 (Vilbaste 1974).

Psammotettix Haupt, 1929

***Psammotettix alienus* (Dahlbom, 1850)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). PanC01 (Mensonienė 1979); KauD14 (Ivanauskas et al. 2014b). AlytC01; AlytD04; Kaiš07; Kal02; Kel05; PalM03; Šiau02; Var17; Var37; Vilk01.

***Psammotettix cephalotes* (Herrich-Schäffer, 1834)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009); Abdollahi et al. (2015). Telš03.

***Psammotettix confinis* (Dahlbom, 1850)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KauD14; VilnD06 (Ivanauskas et al. 2014b). Šilu05; Šven24; Var36; Var37; VilnD07.

***Psammotettix dubius* Ossiannilsson, 1974**: Söderman et al. (2009).

***Psammotettix excisus* (Matsumura, 1906)** (= *P. exilis* Wagner, 1941): Vilbaste (1974); Nast (1987); Nickel (2003); Söderman et al. (2009). Anyk01; Ign06; Ner04; Šven24; Var17; Var37.

***Psammotettix koeleriae* Zakhvatkin, 1948**: Nast (1987); Anufriev and Kirillova (1998); Söderman et al. (2009). Anyk01 (Vilbaste 1974).

***Psammotettix nodosus* (Ribaut, 1925)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šilu02.

***Psammotettix pallidinervis* (Dahlbom, 1850)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Ign06; PalM03; Šven24; Var37.

***Psammotettix poecilus* (Flor, 1861)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Var37; Zar04.

***Psammotettix sabulicola* (Curtis, 1837)**: Nast (1987); Söderman et al. (2009); Thanou et al. (2018). Ner07; PalC01 (Vilbaste 1974). Ner01; Ner02.

***Sorhoanus* Ribaut, 1946**

***Sorhoanus assimilis* (Fallén, 1806)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). KlaiD02; VilnD07.

***Sorhoanus xanthoneurus* (Fieber, 1869)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Šven01; Šven06.

***Turrutus* Ribaut, 1946**

***Turrutus socialis* (Flor, 1861)**: Vilbaste (1974); Nast (1987); Söderman et al. (2009). Anyk01; Ign03; Jurb02; Jurb05; Kaiš06; Kal01; Rad06; Rok05; Šilu04; Šven17; Šven19; Šven25; Šven28; Šven29; Trak12; Zar01.

Discussion

A total of 360 species belonging to 147 genera have currently been recorded from Lithuania (Table 1); 20 species are reported in this article from Lithuania for the first time, four of which are newly recorded in the Baltic States. A comparison of checklists of Auchenorrhyncha known from countries neighbouring Lithuania suggests that at least 20 additional Auchenorrhyncha

Table 1. Taxonomic structure of the Lithuanian Auchenorrhyncha fauna.

Taxon	Species	Genus	New
Fulgoromorpha Evans, 1946	71	37	11
Delphacoidea Leach, 1815	68	34	11
Cixiidae Spinola, 1839	6	3	0
Delphacidae Leach, 1815	62	31	11
Asiracinae Motschulsky, 1863	1	1	1
Kelisiinae Wagner, 1963	10	1	1
Stenocraninae Wagner, 1963	3	1	2
Delphacinae Leach, 1815	48	28	7
Fulgoroidea Latreille, 1807	3	3	0
Achilidae Stål, 1866	1	1	0
Caliscelidae Amyot & Audinet-Serville, 1843	1	1	0
Tettigometridae Germar, 1821	1	1	0
Cicadomorpha Evans, 1946	289	110	9
Cicadoidea Batsch, 1789	1	1	0
Cicadidae Batsch, 1789	1	1	0
Cercopoidea Leach, 1815	11	5	1
Aphrophoridae Amyot & Audinet-Serville, 1843	11	5	1
Membracoidea Rafinesque, 1815	277	104	8
Membracidae Rafinesque, 1815	3	3	0
Cicadellidae Latreille, 1825	274	101	8
Ulopinae Le Peletier & Audinet-Serville, 1828	2	2	0
Ledrinae Fairmaire, 1855	1	1	0
Megophthalminae Kirkaldy, 1906 [1859]	4	3	0
Eurymelinae Amyot & Audinet-Serville, 1843	36	12	1
Iassinae Walker, 1869	3	2	0
Aphrodinae Haupt, 1927 [1859]	12	4	0
Evacanthinae Crumb, 1911	2	1	0
Cicadellinae Latreille, 1825	1	1	1
Typhlocybinae Kirschbaum, 1868	86	27	1
Deltocephalinae Fieber, 1869	127	48	5
Total	360	147	20

species may be discovered in the future. In addition, the potential occurrence of new alien species, including invasive ones, cannot be excluded, as their spread is often facilitated by human activity, primarily through the introduction of ornamental plants.

Summary data at the family level are provided in Table 2. Data on Auchenorrhyncha are available for 54 of the 60 municipalities in Lithuania. At present, there are no data from Joniškis District, Pakruojis District, Skuodas District, Šiauliai City, Ukmergė District and Visaginas municipality.

As shown in Table 2, relatively few species have been recorded in most municipalities, indicating that the Auchenorrhyncha fauna remains insufficiently studied at the regional level. The highest numbers of species were recorded in the municipalities of Švenčionys District (107 species), Alytus District (83 species), and Varėna District (83 species). Thus, as a result of summarizing all information available at the time of this study, occurrence localities are provided for 338 species, and additional, previously unpublished data are presented for 275 species. It should also be noted that a considerable portion of the data was obtained from processing materials collected within monitoring programs

Table 2. Species richness of Auchenorrhyncha families across municipalities.

Municipalities	Number of species by family									Total
	Cixiidae	Delphacidae	Achilidae	Caliscelidae	Tettigometridae	Cicadidae	Aphrophoridae	Membracidae	Cicadellidae	
Akmenė District	0	0	0	0	0	0	1	0	1	2
Alytus City	0	0	0	0	0	0	0	1	12	13
Alytus District	0	23	0	0	0	0	6	1	53	83
Anykščiai District	0	7	0	0	0	0	2	1	19	29
Birštonas	0	7	0	0	0	0	1	0	4	12
Biržai District	2	0	0	0	0	0	1	1	19	23
Druskininkai	0	9	0	0	0	0	1	1	3	14
Elektrėnai	1	1	0	0	0	0	0	1	12	15
Ignalina District	3	9	0	0	0	0	6	0	46	64
Jonava District	0	2	0	0	0	0	0	0	4	6
Jurbarkas District	0	2	0	0	0	0	4	0	25	31
Kaišiadorys District	1	1	0	0	0	0	2	2	12	18
Kalvarija	0	4	0	0	0	0	1	0	10	15
Kaunas City	2	0	0	0	1	1	2	1	3	10
Kaunas District	1	4	0	0	0	1	3	1	28	38
Kazlų Rūda	0	4	0	0	0	0	2	1	6	13
Kėdainiai District	0	0	0	0	0	0	0	0	5	5
Kelmė District	0	10	0	0	0	0	4	1	19	34
Klaipeda City	0	0	0	0	0	0	0	1	1	2
Klaipėda District	1	9	0	1	0	0	5	1	23	40
Kretinga District	0	0	0	0	0	0	0	1	2	3
Kupiškis District	0	2	0	0	0	0	1	0	12	15
Lazdijai District	0	4	0	0	0	0	1	2	38	45
Marijampolė	1	3	0	0	0	0	0	0	18	22
Mažeikiai District	0	1	0	0	0	0	0	1		2
Molėtai District	0	1	0	0	0	0	1	0	10	12
Neringa	0	2	0	0	0	0	4	1	19	26
Pagėgiai	0	2	0	0	0	0	0	0	11	13
Palanga City	0	1	0	0	0	0	1	1	6	9
Panevėžys City	1	5	0	0	0	0	4	0	27	37
Panevėžys District	0	5	0	0	0	0	2	0	50	57
Pasvalys District	1	0	0	0	0	0	0	0	4	5
Plungė District	1	0	0	0	0	0	0	1	16	18
Prienai District	0	1	0	0	0	0	1	1	1	4
Radviliškis District	1	0	0	0	0	0	0	1	6	8
Raseiniai District	0	1	0	0	0	0	1	0	19	21
Rietavas	0	0	0	0	0	0	0	0	1	1
Rokiškis District	0	2	0	0	0	0	5	0	20	27
Šakiai District	3	1	0	0	0	0	4	2	11	21
Šalčininkai District	0	3	0	0	0	0	0	1	5	9
Šiauliai District	2	9	0	0	0	0	5	1	16	33
Šilalė District	0	1	0	0	0	0	0	0	8	9
Šilutė District	2	11	0	1	0	0	4	0	56	74
Širvintos District	0	0	0	0	0	0	1	1	2	4
Švenčionys District	3	12	0	1	0	0	5	2	84	107

Municipalities	Number of species by family									Total
	Cixiidae	Delphacidae	Achilidae	Caliscelidae	Tettigometridae	Cicadidae	Aphrophoridae	Membracidae	Cicadellidae	
Tauragė District	1	1	1	0	0	0	1	0	8	12
Telšiai District	0	4	0	0	0	0	0	1	16	21
Trakai District	1	4	0	0	0	0	1	1	57	64
Utena District	1	0	0	0	0	0	4	1	18	24
Varėna District	3	8	1	0	0	0	7	2	62	83
Vilkaviškis District	0	2	0	0	0	0	1	0	31	34
Vilnius City	2	2	0	0	0	0	0	1	7	12
Vilnius District	2	6	0	0	1	0	2	0	39	50
Zarasai District	1	1	0	0	0	0	1	0	11	14
Total	6	62	1	1	1	1	11	3	274	360

in which Auchenorrhyncha were not the target group. This situation is analogous to that often encountered in ichthyology, where faunistically significant findings of non-target species regularly occur as bycatch during commercial fishing (Werner et al. 2015; Jones et al. 2018; Villafáfila et al. 2025).

A system should therefore be developed to ensure the preservation of all material collected by various types of traps during monitoring studies, regardless of focal taxa. This would increase the scientific value of collections that contain such material. Attention should also be paid to the preservation of historical collections, which enable tracing, from a historical perspective, the approximate time of appearance of new species in the local fauna, including those that have entered the region naturally through range expansion. A clear example is *Calamotettix taeniatus*, a reasonably common species at present, which J. Vilbaste did not record despite more than a decade of research on the Lithuanian and Latvian leafhopper fauna. This suggests that the species colonised the region relatively recently, rather than being rare or difficult to detect. At the same time, the absence of records of *Cicadetta montana* s.str. in the 1960s–1970s in Latvia, Lithuania, and Estonia, can only be explained by an apparent local distribution of this species' populations and its specific biological traits.

Acknowledgments

The authors express their gratitude to everyone who provided material for examination, assisted in its collection, or contributed to its processing. Special thanks are due to G. Skujienė and J. Skuja for material from the project VU (Lithuania)-BASF (Germany): "Research of Biodiversity" No. (1.57) 15600-INS-43, as well as for J. Liemke, K. Lingytė, for the help with material collection and sorting during the implementation of the project LIFE MagniDucatusAcrola, LIFE15 NAT/LT/001024. A. Petrašiūnas also collected some material during the LIFEMarshMeadows, LIFE20NAT/LV/000273 projects. O. Borodin collected some material during the project No. 222530521 supported by The Mohamed bin Zayed Species Conservation Fund. We also wish to express our sincere appreciation to the administration and curators of the University of Tartu Natural History Museum, where the present research was conducted; to the Entomological Collection of the Estonian University of Life Sciences, including the excellently preserved collection of J.

Vilbaste; as well as to the Museum of Zoology of Vilnius University and the Kaunas Tadas Ivanauskas Museum of Zoology. Special thanks to Dr. D. Dmitriev (Illinois Natural History Survey, USA), Dr. Anders Endrestøl (Norwegian Institute for Nature Research, Norway) and Dr. I. Gjonov (Sofia University, Bulgaria) for their valuable comments and suggestions, which were used in the preparation of this article.

Additional information

Conflict of interest

The authors have declared that no competing interests exist.

Ethical statement

No ethical statement was reported.

Use of AI

No use of AI was reported.

Funding

No funding was reported.

Author contributions

All authors have contributed equally.

Author ORCIDs

Oleg Borodin https://orcid.org/0000-0001-8907-2139
Andrius Petrašiūnas https://orcid.org/0000-0003-3270-3694
Vytautas Tamutis https://orcid.org/0000-0002-6120-2066
Villu Soon https://orcid.org/0000-0001-5368-0319

Data availability

All of the data that support the findings of this study are available in the main text.

References

Abarenkov K, Tedersoo L, Nilsson RH, Vellak K, Saar I, Veldre V, Parmasto E, Prous M, Aan A, Ots M, Kurina O, Ostonen I, Jõgeva J, Halapuu S, Põldmaa K, Toots M, Truu J, Larsson K-H, Kõljalg U (2010) PlutoF – a Web Based Workbench for Ecological and Taxonomic Research, with an Online Implementation for Fungal ITS Sequences. Evolutionary Bioinformatics Online 6: 189–196. https://doi.org/10.4137/EBO.S6271

Abdollahi T, Jalalizand AR, Mozaffarian F, Wilson MR (2015) A faunistic study on the leafhoppers of northwestern Iran (Hemiptera, Cicadellidae). ZooKeys 496: 27–51. https://doi.org/10.3897/zookeys.496.9059

Albrecht A, Rinne V, Söderman G, Mattila K (2015) Check-list of Finnish Hemiptera. Jalla. Bulletin of the Finnish Expert Group on Hemiptera 1: 1–29.

Anufriev GA (1978) Les cicadellidaes de le Territoire Maritime. Trudy Vsesoyuznogo Entomologicheskogo Obshchestva 60: 1–215.

Anufriev GA (2000) Materials on the Cicadinea (Homoptera) of the Nature Preserve “Nurgush” (Kirovsk Province). In: Readings in memoriam of Prof. VV Stanchinsky (Vol. 3): 26–28. Smolensk. [In Russian]

Anufriev GA, Egorov LV (2016) On northern distribution limits in European Russia, ecological and chorological typology of the delphacid *Asiraca clavicornis* (Fabricius, 1794) (Hemiptera, Cicadina, Delphacidae). Trudy Mordovskogo Zapovednika imeni PG Smidovicha 16: 269–272. [In Russian]

Anufriev GA, Emeljanov AF (1988) Suborder Cicadinea (Auchenorrhyncha). In: Lehr PA (Ed.) Keys to the insects of the Far East of the USSR 2: 12–495. Nauka, Leningrad. [In Russian]

Anufriev GA, Kirillova VI (1998) Cicadinas (Homoptera, Cicadina) of Chuvash Republic: Faunistic analysis experience. Cheboksary, 176 pp. [In Russian]

Anufriev GA, Smirnova NV (2009) Composition of the fauna and the communities' structure of the Cicadina (Homoptera) in the lowland Trans-Volga woodlands. Entomologicheskoe Obozrenie 88(3): 529–538. https://doi.org/10.1134/S0013873809070045 [In Russian]

Asche M (1982) Intraspezifische Variabilität der männlichen Genitalarmatur, dargestellt am Beispiel der *Chloriona*-Arten *Ch. flaveola* Lindberg, 1948, *Ch. unicolor* Herrich-Schäffer, 1835 und *Ch. ponticana* nov. spec. (Homoptera Cicadina Delphacidae). Marburger Entomologische Publikationen 1(6): 159–190.

Bogoutdinov D, Kastalyeva T, Girsova N, Ovsyannikova E, Mityushev I (2024) Distribution and trophic relationships of the buffalo treehopper, *Stictocephala bisonia*, in the Samara region of Russia. E3S Web of Conferences 494: 04007. https://doi.org/10.1051/e3sconf/202449404007

Borodin O (2004) A checklist of the Auchenorrhyncha of Belarus (Hemiptera, Fulgoromorpha et Cicadomorpha). Beiträge zur Zikadenkunde 7: 29–47. https://doi.org/10.25673/92126

Borodin OI (2015a) General characteristic of fauna Hemiptera (Fulgoromorpha & Cicadomorpha) of Belarus. Chorology characteristic. Part 1. Fulgoromorpha–Cicadomorpha excl. Typhlocybinae and Deltocephalinae. Proceedings of the Belarusian State University 10(1): 298–308. [In Russian]

Borodin OI (2015b) General characteristic of fauna Hemiptera (Fulgoromorpha & Cicadomorpha) of Belarus. Chorology characteristic. Part 2. Typhlocybinae and Deltocephalinae. Proceedings of the Belarusian State University 10(1): 309–319. [In Russian]

Borodin O (2023) Fulgoromorpha & Cicadomorpha (Hemiptera) of Eastern Latvia. Acta Biologica Universitatis Daugavpiliensis 23(2): 95–118. https://doi.org/10.59893/abud.23(2).007

Borodin OI, Borodina O (2021) Fulgoromorpha & Cicadomorpha (Hemiptera) of Latvia. Current state of study. Acta Biologica Universitatis Daugavpiliensis 21(2): 155–184. https://doi.org/10.5281/zenodo.12645231

Bückle C, Guglielmino A (2022) Revision of the genus *Doratura* Sahlberg (Hemiptera, Cicadellidae, Deltocephalinae) with particular regard to its distribution in Italy and description of four new species. Zootaxa 5112(1): 1–116. https://doi.org/10.11646/zootaxa.5112.1.1

Chelpakova JM (1996) Podotryad Cicadinea (Auchenorrhyncha) – Cikadovye. In: Kadastr geneticheskogo fonda Kyrgyzstana 3: 33–47, 60–61. Bishkek.

Dai R-H, Li H, Li Z-Z (2018) Macropsinae from China (Hemiptera: Cicadellidae). China Agriculture Press, Beijing, [XI +] 240 pp.

Della Giustina W (2019a) Faune de France. 100. Les Delphacidae de France et des pays limitrophes (Hemiptera, Fulgoromorpha). Fédération Française des Sociétés de Sciences Naturelles 1: 432 pp.

Della Giustina W (2019b) Faune de France. 100. Les Delphacidae de France et des pays limitrophes (Hemiptera, Fulgoromorpha). Fédération Française des Sociétés de Sciences Naturelles 2: 433–832.

Della Giustina W, Remane R (2001) Compléments à la faune de France des Auchenorrhyncha: Espèces et données additionnelles; modifications à l'ouvrage de Nast (1987) (Homoptera) [Contribution to the knowledge of the French Auchenorrhyncha fauna: new species, additional data and modifications to the text by Nast (1987) (Homoptera)]. Bulletin de la Société Entomologique de France 106(3): 283–302. https://doi.org/10.3406/bsef.2001.16767

Demir E (2008) The Fulgoromorpha and Cicadomorpha of Turkey. Part I: Mediterranean Region (Hemiptera). Munis Entomology & Zoology 3: 447–522.

Den Bieman KFM, Biedermann R, Nickel H, Niedringhaus R (2011) The planthoppers and leafhoppers of Benelux. Identification keys to all families and genera and all Benelux species not recorded from Germany. Scheeßel, WABV, 120 pp.

Den Bieman KFM, de Haas MC, Soethof R (2021) The leafhopper genus *Rhopalopyx* in the Netherlands (Hemiptera: Auchenorrhyncha: Cicadellidae). Entomologische Tabellen I Supplement bij. Nederlandse Faunistische Mededelingen 57: 95–106.

Ding J-H (2006) Fauna Sinica. Insecta. Vol. 45. Homoptera Delphacidae. Science Press, Beijing, China, [xx +] 776 pp.

Dmitriev DA (2001) Fauna of the Homoptera Cicadina of Voronezh Province. Entomologicheskoe Obozrenie 80(1): 54–72. [In Russian]

Dmitriev DA, Angelova R, Anufriev GA, Bartlett CR, Blanco-Rodríguez E, Borodin OI, Cao Y-H, Cara C, Deitz LL, Dietrich CH, Dmitrieva MO, El-Sonbati SA, Evangelista de Souza O, Gjonov IV, Gonçalves AC, Gonçalves CC, Hendrix SV, McKamey S, Kohler M, Kunz G, Malenovský I, Morris BO, Novoselova M, Pinedo-Escatel JA, Rakitov RA, Rothschild MJ, Sanborn AF, Takiya DM, Wallace MS, Zahniser JN (2022 onward) World Auchenorrhyncha Database. TaxonPages. [Retrieved on 2025-10-31] https://hoppers.speciesfile.org/

Dubovsky GK (1966) Cicadina (Auchenorrhyncha) of the Fergana Valley. FAN, Tashkent, 256 pp. [In Russian]

Dubovsky GK, Karimov N (1970) Cicadas of the Alaiski Valley. Vrednye i Poleznye Zhivotnye I: 21–31. [Tashkent.]

Dworakowska I (1973) New species and some interesting records of leafhoppers from Mongolia and Korea (Auchenorrhyncha, Cicadellidae). Bulletin de l'Académie Polonaise des Sciences. Série des Sciences Biologiques 21(6): 419–424.

Emeljanov AF (1964) Suborder Cicadinea (Auchenorrhyncha). In: Bey-Bienko GY (Ed.) Keys to the Insects of the European USSR 1: 337–437. [In Russian]

Emeljanov AF (1969) Cicadina (Homoptera, Auchenorrhyncha) of Central Kazakhstan. In: Phytocoenoses and Fauna of the Steppes and Deserts of Central Kazakhstan. Part 3. Composition and Analysis of the Fauna of the Western Part of Central Kazakhstan, 358–381.

Endrestøl A (2013) The Auchenorrhyncha of Denmark (Hemiptera: Fulgoromorpha and Cicadomorpha): In memoriam Lars Trolle (1940–2007). Annales de la Société Entomologique de France 49(2): 181–204. https://doi.org/10.1080/00379271.2013.815040

Evangelista de Souza O, Tatarnic NJ, Bayless KM (2024) Phylogenomics of endemic Australian Ulopinae (Hemiptera: Cicadomorpha: Cicadellidae). Invertebrate Systematics 38(2): 1–19. https://doi.org/10.1071/IS23035

Flor G (1861) Die Rhynchoten Livlands in systematischer Folge beschrieben. Zweiter Theil: Rhynchota gulaerostria Zett. (Homoptera). Cicadina und Psyllodea. Archiv für die Naturkunde Liv-, Ehst- und Kurlands 4: 1–567.

Foster S (2019) Yorkshire Auchenorrhyncha – Part 1: Fulgoromorpha (planthoppers) and Cicadomorpha – Cercopoidea (froghoppers). The Naturalist 144: 137–143.

Gębicki C, Świerczewski D, Szwedo J (2013) Planthoppers and Leafhoppers of Poland (Hemiptera: Fulgoromorpha et Cicadomorpha). Systematics. Check-list. Bionomy. The Monograph. Annals of the Upper Silesian Museum (Entomology) 21–22: 5–259.

Gębicki C, Świerczewski D, Stroiński A, Szwedo J (2017) Auchenorrhynchous bugs (Hemiptera: Fulgoromorpha et Cicadomorpha) in the collection of the royal cartographer Karol de Perthées (1739–1815) and its importance for the knowledge of the fauna of Poland. Acta Entomologica Silesiana 25: 1–26.

Genytė L, Staniulis J (1975) Distribution and transmission of clover yellows type diseases, caused by mycoplasma-like organisms, and biology of their agents (2. Effect of antibiotics from the tetracycline group). Lietuvos TSR Mokslų akademijos darbai, B serija 1(69): 3–11. [In Russian]

Genytė L, Staniulis J (1976) Rearing of leafhopper *Aphrodes bicinctus* Schrank species under laboratory conditions. Lietuvos TSR Mokslų akademijos darbai, C serija 4(76): 65–68.

Gimmerthal BA (1846) Zur Fauna der Ostseeprovinzen. Die Zikaden oder Zirpen. Korrespondenzblatt des Naturforscher-Vereins zu Riga 2(12): 26–27.

Gjonov IV (2022) New records of fifteen species of Fulgoromorpha (Insecta: Hemiptera) in Bulgaria. Biodiversity Data Journal 10(e83231): 1–22. https://doi.org/10.3897/BDJ.10.e83231

Guglielmino A, Bückle C, Remane R (2005) Contribution to the knowledge of the Auchenorrhyncha fauna of Central Italy (Hemiptera, Fulgoromorpha et Cicadomorpha). Marburger Entomologische Publikationen 3(3): 13–98.

Guglielmino A, Modola F, Scarici E, Speranza S, Bückle C (2015) The Auchenorrhyncha fauna (Insecta, Hemiptera) of Villa Lante, Bagnaia (Italy): A study of an urban ecosystem. Bulletin of Insectology 68(2): 239–253.

Guglielmino A, D'Urso V, Bückle C (2024) Study on the subgenus *Micantulina* s. str. in Italy with description of a new species, *Micantulina vidaniana* sp. nov., from the Apennine Peninsula and Sicily (Rhynchota, Auchenorrhyncha, Cicadellidae). Cicadina 23: 37–44.

Holzinger WE, Kammerlander I, Nickel H (2003) Die Zikaden Mitteleuropas / The Auchenorrhyncha of Central Europe. Vol. 1: Fulgoromorpha, Cicadomorpha excl. Cicadellidae. Brill Academic Publishing. https://doi.org/10.1163/9789004231108

Hu Y-L, Gao L, Dai W (2021) Species diversity in the leafhopper genus *Batracomorphus* Lewis (Hemiptera: Cicadellidae: Iassinae) from Qinling Mountain in Shaanxi. Insects 12(494): 1–22. https://doi.org/10.3390/insects12060494

iNaturalist (2025) iNaturalist research-grade observations. iNaturalist.org. https://www.inaturalist.org

Ivanauskas A, Valiunas D, Jomantiene R, Staniulis J, Alma A, Picciau L, Davis RE (2011) First report of potential phytoplasma vectors *Euscelis incisus* and *Macrosteles sexnotatus* in Lithuania. Bulletin of Insectology 64: S131–S132.

Ivanauskas A, Valiūnas D, Jomantienė R, Picciau L, Davis RE (2014a) Possible insect vectors of 'Candidatus *Phytoplasma* asteris' and 'Ca. *Phytoplasma* pruni'-related strains in Lithuania. Žemdirbystė-Agriculture 101(3): 313–320. https://doi.org/10.13080/z-a.2014.101.040

Ivanauskas A, Valiūnas D, Ivinskis P, Rimšaitė J (2014b) Some data on Cicadomorpha and Fulgoromorpha (Insecta, Hemiptera) of Lithuania. New and Rare for Lithuania Insect Species 26: 26–30.

Jiang K, Chen J, Wang S, Li Y, Zhang D, Hu H, Bu W (2024) Diversity and distribution of bamboo-feeding true bugs in China. Ecology and Evolution 14(7): e11563. https://doi.org/10.1002/ece3.11563

Jones BL, Unsworth RKF, Udagadera S, Cullen-Unsworth LC (2018) Conservation concerns of small-scale fisheries: By-catch impacts of a shrimp and finfish fishery in a Sri Lankan lagoon. Frontiers in Marine Science 5: 52. https://doi.org/10.3389/fmars.2018.00052

Karavin M, Zeybekoğlu Ü, Akyürek B (2023) New Delphacidae species (Hemiptera) for the Turkish fauna. Journal of Entomological Research Society 25(1): 23–30. https://doi.org/10.51963/jers.v25i1.2108

Khoobdel M, Pakarpour Rayeni F (2021) Review of the leafhopper genus *Euscelis* Brullé (Hemiptera, Cicadellidae, Deltocephalinae) from Iran. Journal of Insect Biodiversity and Systematics 7(4): 383–389. https://doi.org/10.52547/jibs.7.4.383

Kuznetsova VG, Golub NV, Maryańska-Nadachowska A (2024) Number of seminal follicles and ovarioles in Fulgoromorpha (Hemiptera: Auchenorrhyncha): Variability and evolutionary trends. European Journal of Entomology 121: 109–123. https://doi.org/10.14411/eje.2024.014

Kwon Y-J, Kwon J-H (2022) Classification of the leafhopper genus *Macrosteles* Fieber and allied genera of the world (Hemiptera: Cicadellidae). National Institute of Biological Resources, Incheon, Korea, 372 pp.

Kwon J-H, Kwon Y-J, Hossain MS (2025) Typhlocybinae (Arthropoda: Insecta: Hemiptera: Cicadellidae) 9(11): 1–477.

Le Quesne WJ (1960) Hemiptera (Fulgoromorpha). In: Handbooks for the Identification of British Insects 2: 1–68. Royal Entomological Society of London.

Le Quesne WJ (1969) Handbook for the Identification of British Insects. Hemiptera, Cicadomorpha, Deltocephalinae. Vol. 2. Royal Entomological Society of London.

Le Quesne WJ (1976) Geographical variation in the genitalia of three species of Cicadellidae (Hemiptera). Systematic Entomology 1: 169–172. https://doi.org/10.1111/j.1365-3113.1976.tb00347.x

Le Quesne WJ, Payne KR (1981) Cicadellidae (Typhlocybinae) with a checklist of the British Auchenorrhyncha (Hemiptera, Homoptera). In: Fitton MG (Ed.) Handbooks for the Identification of British Insects 2: 1–95. Royal Entomological Society of London.

Liang Z-L, Kwon J-H, Hayashi M, Dietrich CH, Dai W (2023) Phylogenetic analysis of the genus *Planaphrodes* Hamilton (Hemiptera, Cicadellidae, Aphrodinae) based on morphological characteristics, with revision of species from China, Korea and Japan. Insects 14(291): 1–40. https://doi.org/10.3390/insects14030291

Logvinenko VN (1975) Fulgoroidea. In: Fauna of the Ukraine 20(2): 287 pp. Kiev. [In Ukrainian]

Logvinenko VN (1984) New data on the fauna of Cicadinea (Homoptera, Auchenorrhyncha) in the Ukraine. In: Taxonomy and Zoogeography of Insects. Collection of Scientific Works. Naukova Dumka, Kiev, 19–27.

Lu S-H, Qin D-Z (2014) *Alafrasca sticta*, a new genus and species of the tribe Empoascini (Hemiptera: Cicadellidae: Typhlocybinae) with a checklist of the tribe from China. Zootaxa 3779(1): 9–19. https://doi.org/10.11646/zootaxa.3779.1.4

Malenovský I, Lauterer P (2010) Additions to the fauna of planthoppers and leafhoppers (Hemiptera: Auchenorrhyncha) of the Czech Republic. Acta Musei Moraviae. Scientiae Biologicae 95(1): 49–122.

Mensonienė G (1979) Panevėžio medelyno erškėčių ir aronijos plantacijose 1973–1974 metais aptiktų cikadų (Cicadinea, Homoptera) rūšinė sudėtis. Žemės ūkio gamybos intensyvinimas. Mokslų darbų rinkinys, Kaunas, Noreikiškės, 70–72.

Metcalf ZP (1967) General catalogue of the Homoptera. Fascicle VI. Cicadelloidea. Part 10. Euscelidae. Section I. USDA, Washington, D.C., [V +] 1077 pp.

Mitjaev ID (1971) Leafhoppers of Kazakhstan (Homoptera – Cicadinea). The Determinant. Nauka, Alma-Ata, 210 pp. [In Russian]

Mitjaev ID (2002) Faune, ecology and zoogeography of leafhoppers (Homoptera, Cicadinea) of Kazakhstan. Tethys Entomological Research 5: 1–168. [In Russian]

Mitjaev ID (2015) Leafhoppers (Homoptera, Cicadinea) of Kazakhstan, annotated checklist of species. Selevinia 23: 43–81. [In Russian]

Mühlethaler R, Burckhardt D, Lauterer P, Nagel P (2009) Taxonomy and biogeography of Central European *Kybos* (Insecta, Hemiptera, Cicadellidae). Deutsche Entomologische Zeitschrift 56(1): 15–40. https://doi.org/10.1002/mmnd.200900003

Mühlethaler R, Holzinger WE, Nickel H, Wachmann E (2018) Verzeichnis der Zikaden Deutschlands, Österreichs und der Schweiz. Quelle & Meyer Verlag. [Retrieved 21 November 2018] https://www.quelle-meyer.de/wp-content/uploads/2018/11/Zikaden-Artentabelle.pdf

Nast J (1972) Palaearctic Auchenorrhyncha (Homoptera). An Annotated Check List. Polish Scientific Publishers, Warszawa, 550 pp.

Nast J (1982) Palaearctic Auchenorrhyncha (Homoptera). Part 3. New Taxa and Replacement Names Introduced till 1980. Annales Zoologici 36(17): 290–362.

Nast J (1987) The Auchenorrhyncha (Homoptera) of Europe. Annales Zoologici 40(15): 535–661.

Naveed H, Islam W, Zhang Y-L, Chen K-P (2023) First report of the genus *Elymana* (Hemiptera: Cicadellidae: Deltocephalinae) from the Indian subcontinent, with a re-description of *Elymana sulphurella* (Zetterstedt). Journal of Asia-Pacific Biodiversity 16(4): 552–555. https://doi.org/10.1016/j.japb.2023.06.009

Nickel H (2003) The leafhoppers and planthoppers of Germany (Hemiptera, Auchenorrhyncha): Patterns and strategies in a highly diverse group of phytophagous insects. Pensoft Publishers, Sofia–Moscow; Goecke & Evers, Keltern, [X +] 460 pp.

Nickel H, Remane R (2002) Artenliste der Zikaden Deutschlands, mit Angabe von Nährpflanzen, Nahrungsbreite, Lebenszyklus, Areal und Gefährdung (Hemiptera, Fulgoromorpha et Cicadomorpha). Beiträge zur Zikadenkunde 5: 27–64.

Nickel H, Blum H, Jung K (2014) Verbreitung und Biologie der an mitteleuropäischen Arznei- und Gewürzpflanzen schädlichen Blattzikaden (Hemiptera: Cicadellidae, Typhlocybinae). Cicadina 14: 13–42. https://doi.org/10.25673/92235

Niedringhaus R, Olthoff T (1993) Zur Verbreitung einiger Zikadentaxa in Nordwestdeutschland (Hemiptera: Auchenorrhyncha). Drosera 93(1–2): 37–58.

Ødegaard F (2011) *Asiraca clavicornis* (Fabricius, 1794) (Homoptera, Delphacidae, Asiracinae) – a new planthopper to northern Europe found in Norway. Norwegian Journal of Entomology 58: 33–35.

Ossiannilsson F (1978) The Auchenorrhyncha (Homoptera) of Fennoscandia and Denmark. Fauna Entomologica Scandinavica 7: 1–222. https://doi.org/10.1163/9789004273306_008

Ossiannilsson F (1981) The Auchenorrhyncha (Homoptera) of Fennoscandia and Denmark. 2. The families Cicadidae, Cercopidae, Membracidae, and Cicadellidae (excl. Deltocephalinae). Vol. 7(2). Scandinavian Science Press. https://doi.org/10.1163/9789004273313

Ossiannilsson F (1983) The Auchenorrhyncha (Homoptera) of Fennoscandia and Denmark. Part 3: The family Cicadellidae: Deltocephalinae, Catalogue, Literature and Index. Vol. 7(3). Scandinavian Science Press. https://doi.org/10.1163/9789004273320

Petrašiūnas A (2021) *Gargara genistae* and *Stictocephala bisonia* (Hemiptera: Cicadomorpha, Membracidae) new for Lithuanian fauna. Bulletin of the Lithuanian Entomological Society 5(33): 23–25.

Petrašiūnas A (2023) Distribution of *Gargara genistae* (Hemiptera: Cicadomorpha, Membracidae) in Lithuania. Bulletin of the Lithuanian Entomological Society 7(35): 10–15.

Piterāns U (2016) First record of *Graphocephala fennahi* Young, 1977 (Hemiptera: Cicadellidae) in Latvia. Latvijas Entomologs 53: 127–128.

Preisler J, Lauterer P (2003) Some new species of planthoppers and leafhoppers for the Czech Republic and Slovakia (Hemiptera, Auchenorrhyncha). Beiträge zur Zikadenkunde 6: 53–56. https://doi.org/10.25673/92122

Ramsay AJ (2016) A review of the endemic planthoppers, leafhoppers and allies of Cyprus (Hemiptera: Auchenorrhyncha), with notes on additional species. Cicadina 16: 25–36. https://doi.org/10.25673/92245

Remm H (1970) Putukate välimääraja I. (Apterygota, Palaeoptera, Hemimetabola). Teine trükk, 383 pp.

Santos AA, Jacques J, Pérez-López E (2024) Potential impact of climate change on Nearctic leafhopper distribution and richness in North America. NPJ Sustainable Agriculture 2(1): 1–12. https://doi.org/10.1038/s44264-024-00020-6

Seljak G (2016) New and little known plant- and leafhoppers of the fauna of Slovenia (Hemiptera: Fulgoromorpha and Cicadomorpha). Acta Entomologica Slovenica (Ljubljana) 24(2): 151–200.

Söderman G, Dapkus D (2009) New records of Hemiptera from the Čepkeliai Strict Nature Reserve (Southern Lithuania) in 2007. New and Rare for Lithuania Insect Species 21: 12–15.

Söderman G, Rintala T (2009) Heteroptera and Auchenorrhyncha (Hemiptera) collected from southeastern Lithuania in 2008. New and Rare for Lithuania Insect Species 21: 15–21.

Söderman G, Gillerfors C, Endrestøl A (2009) An annotated catalogue of the Auchenorrhyncha of Northern Europe (Insecta, Hemiptera, Fulgoromorpha et Cicadomorpha). Cicadina 10: 67–122. https://doi.org/10.25673/92195

Spuris Z (1996) Latvijas kukaiņu katalogs. 11. Cikāžu (Auchenorrhyncha) saraksts. Latvijas Entomoloģijas arhīvs 3: 16–31.

Stalažs A (2013) The invasive lilac leafhopper, Igutettix oculatus (Lindberg, 1929), continues to spread in Europe: New host plant and new findings (Hemiptera: Cicadellidae, Typhlocybinae). Cicadina 13: 59–67. https://doi.org/10.25673/92233

Staniulis J, Genytė L (1974) Distribution, transmission and biology of clover yellows type caused by *Mycoplasma* organisms (1. Mycoplasma-like bodies found out when the leaves are ill with clover stunt and yellows disease). Lietuvos TSR Mokslų akademijos darbai, C serija 1(65): 3–10.

Švitra G (2007) New record of *Cicadetta montana* (Homoptera: Cicadidae) in Lithuania. New and Rare for Lithuania Insect Species 19: 13–14.

Szwedo J, Gębicki C (2001) An annotated check list of Ulopidae (Hemiptera: Membracoidea). Annals of the Upper Silesian Museum (Entomology) 10–11: 5–29.

Thanou ZN, Afentoulis DG, Koufopoulou P, Ampatzi AP, Lekkou SD, Koutsogiannopoulou A, Bravou AA, Stamatakou GD, Voulgaraki KN, Piperkas A, Chaldaiou A, Kalaitzaki AP, Tsagkarakis AE (2018) New records and updated checklist of Cicadomorpha (Hemiptera: Auchenorrhyncha) species from Greece. Zootaxa 4413(1): 133–157. https://doi.org/10.11646/zootaxa.4413.1.4

Tishechkin DY (1988) The Cicadinea (Homo ptera) of Moscow Province. In: Rasnitsyn AP (Ed.) Nasekomye Moskovskoi oblasti. Problemy kadastra i okhrany. Nauka, Moskva, 3–19. [In Russian]

Tishechkin DY (2022) New and interesting records of Auchenorrhyncha (Homoptera) in European Russia. Russian Entomological Journal 31(3): 234–248. https://doi.org/10.15298/rusentj.31.3.04

Trivellone V (2010) Contribution to the knowledge of the Auchenorrhyncha fauna of bogs and fens of Ticino and Grisons, with some new records for Switzerland (Hemiptera: Fulgoromorpha et Cicadomorpha). Cicadina 11: 97–106. https://doi.org/10.25673/92213

Trivellone V, Knop E, Turrini-Biedermann T, Andrey A, Humbert J-Y, Kunz G (2015) New and remarkable leafhoppers and planthoppers (Hemiptera: Auchenorrhyncha) from Switzerland. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 88: 273–284. https://doi.org/10.5169/seals-583849

Valiūnas D, Ivanauskas A, Urbanavičienė L, Sneideris D, Kricėnaitė J, Jomantienė R (2017) First report of a new disease of cucumber in Lithuania: Molecular genetic characterization of the associated phytoplasma and identification of a possible insect vector, Stenocranus minutus. Plant Disease 101(2): 379–379. https://doi.org/10.1094/PDIS-09-16-1318-PDN

Varzinska R (1983) Cikādes Rīgas līča piejūras zonas zālājos. Latvijas Entomologs 26: 68–82.

Velce DK, Danka LYa (1970) Catalogue of cicadas (Auchenorrhyncha) of the Latvian SSR. Zoologijas Muzeja Raksti 4: 15–65. [In Russian]

Vilbaste J (1960) Eine Revision der Sammlung von G. Flor. 1. Homoptera: Cicadina: Fulgoroidea. Proceedings of the Estonian Academy of Sciences. Biology 9(2): 135–143. https://doi.org/10.3176/biol.1960.2.07

Vilbaste J (1971) Eesti Tirdid. Homoptera: Cicadinea I. [Cicadinea of Estonia: Tettigometridae, Cixiidae, Delphacidae, Achilidae, Issidae, Cicadidae, Aphrophoridae, Membracidae.] 1–282.

Vilbaste J (1972) *Kelisia nervosa* n.sp. - a new Delphacid species from Lithuania (Homoptera: Cicadinea). Proceedings of the Estonian Academy of Sciences. Biology, Ecology 21: 75–77. [in Russian] https://doi.org/10.3176/biol.1972.1.11

Vilbaste J (1973) On North-European species of the genus *Limotettix* J. Sb., with notes on North-American species (Homoptera, Cicadellidae). Eesti NSV Teaduste Akadeemia Toimetised. Bioloogia 22(3): 197–209. https://doi.org/10.3176/biol.1973.3.02

Vilbaste J (1974) Preliminary list of Homoptera – Cicadinea of Latvia and Lithuania. Eesti NSV Teaduste Akadeemia Toimetised. Bioloogia 23(2): 131–163. https://doi.org/10.3176/biol.1974.2.06

Villafáfila M, Carpio AJ, Rivas ML (2025) Mitigating the effect of by-catch on endangered marine life. Animal Conservation 28: 172–184. https://doi.org/10.1111/acv.12968

Walczak M, Jeziorowska M (2015) First record of Calamotettix taeniatus Horváth, 1911 (Hemiptera: Cicadellidae: Paralimnini) in Poland, with some remarks on the distribution and biology of the species. Acta Entomologica Silesiana 23(online 029): 1–6.

Walczak M, Gębicki C, Wojciechowski W, Świerczewski D (2016) The fauna of planthoppers and leafhoppers (Hemiptera: Fulgoromorpha et Cicadomorpha) in the city of Częstochowa (southern Poland). The Monograph. Annals of the Upper Silesian Museum (Entomology).

Werner TB, Northridge S, Press KM, Young N (2015) Mitigating bycatch and depredation of marine mammals in longline fisheries. ICES Journal of Marine Science 72(5): 1576–1586. https://doi.org/10.1093/icesjms/fsv092

Wilson MR, Stewart AJA, Biedermann R, Nickel H, Niedringhaus R (2015) The Planthoppers and Leafhoppers of Britain and Ireland. Identification keys to all families and genera and all British and Irish species not recorded from Germany. Cicadina – Supplement 2. WABV, Germany, 138 pp.

Zhuravleva EN, Gnezdilov VM, Tishechkin DY, Mikhailenko AP, Shoshina EI, Karpun NN, Musolin DL (2023) First records of *Graphocephala fennahi* Young, 1977 and Pochazia shantungensis (Chou & Lu, 1977) (Hemiptera: Cicadellidae, Ricaniidae) in Russia. Bulletin OEPP. EPPO Bulletin. European and Mediterranean Plant Protection Organisation 53: 139–144. https://doi.org/10.1111/epp.12910

Ziemelis A (2012) Effect of vegetation on hopper (Auchenorrhyncha) communities in calcareous fens of maritime lowland. In: Latvijas Universitātes 70. zinātniskā konference. Bioloģijas sekcija, Zooloģijas un dzīvnieku ekoloģijas apakšsekcija (10 February 2012).

Ziemelis A (2014) Jauni cikāžu (Auchenorrhyncha) sugu konstatējumi Latvijas faunā. Daugavpils Universitātes 55. starptautiskās zinātniskās konferences materiāli, 69–71.